

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

## References

- [1] Amm, O., A. Aikio, J.-M. Bosqued, M. Dunlop, A. Fazakerley, P. Janhunen, K. Kau-  
ristie, M. Lester, I. Sillanpää, M. G. G. T. Taylor, A. Vontrat-Reberac, K. Mursula,  
and M. André (2003), Mesoscale structure of a morning sector ionospheric shear flow re-  
gion determined by conjugate Cluster II and MIRACLE ground-based observations, *Ann.*  
*Geophys.*, **21**, 1737–1751, [10.5194/angeo-21-1737-2003](https://doi.org/10.5194/angeo-21-1737-2003).
- [2] Antonova, E. E., E. Y. Budnik, I. P. Kirpichev, V. N. Lutsenko, and N. F. Pissarenko  
(2003), Magnetospheric plasma pressure and space weather, *Adv. Space Res.*, **31**, 1093–  
1098, [10.1016/S0273-1177\(02\)00806-2](https://doi.org/10.1016/S0273-1177(02)00806-2).
- [3] Arge, C. N., D. Odstreil, V. J. Pizzo, and L. R. Mayer (2003), Improved Method for  
Specifying Solar Wind Speed Near the Sun, in *Solar Wind Ten, American Institute of*  
*Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci,  
pp. 190–193, [10.1063/1.1618574](https://doi.org/10.1063/1.1618574).
- [4] Aurass, H. (2003), Solar Radio Bursts after Yohkoh and SOHO, *Hvar Observatory Bull.*,  
**27**, 103–113.
- [5] Badruddin, and Y. P. Singh (2003), CME Types, Their Interplanetary Manifestations  
(ICMEs) and Effects on Cosmic Ray Intensity, in *International Cosmic Ray Conference,*  
*International Cosmic Ray Conference*, vol. 6, pp. 3631–+.
- [6] Baker, J. B., A. J. Ridley, V. O. Papitashvili, and C. R. Clauer (2003), The depen-  
dence of winter aurora on interplanetary parameters, *J. Geophys. Res.*, **108**, 8009,  
[10.1029/2002JA009352](https://doi.org/10.1029/2002JA009352).
- [7] Ballatore, P. (2003), Reply to Comment on “Effects of fast and slow solar wind on the  
correlations between interplanetary medium and geomagnetic activity” by C. B. Wang  
and J. K. Chao, *J. Geophys. Res.*, **108**, 1387, [10.1029/2003JA009840](https://doi.org/10.1029/2003JA009840).
- [8] Barkhatov, N. A., A. V. Korolev, G. N. Zastenker, M. O. Ryazantseva, and P. A. Dalin  
(2003), MHD Simulations of the Dynamics of Sharp Disturbances of the Interplane-  
tary Medium and Comparison with Spacecraft Observations, *Cosmic Res.*, **41**, 529–538,  
[10.1023/B:COSM.0000007951.49454.8a](https://doi.org/10.1023/B:COSM.0000007951.49454.8a).
- [9] Berchem, J., S. A. Fuselier, S. Petrinec, H. U. Frey, and J. L. Burch (2003), Dayside Pro-  
ton Aurora: Comparisons between Global MHD Simulations and IMAGE Observations,  
*Space Sci. Rev.*, **109**, 313–349, [10.1023/B:SPAC.0000007523.23002.92](https://doi.org/10.1023/B:SPAC.0000007523.23002.92).
- [10] Berdichevsky, D. B., R. P. Lepping, and C. J. Farrugia (2003), Geometric considerations  
of the evolution of magnetic flux ropes, *Phys. Rev. E*, **67**, 036,405–+, [10.1103/Phys-  
RevE.67.036405](https://doi.org/10.1103/Phys-RevE.67.036405).
- [11] Berdichevsky, D. B., C. J. Farrugia, R. P. Lepping, I. G. Richardson, A. B. Galvin,  
R. Schwenn, D. V. Reames, K. W. Ogilvie, and M. L. Kaiser (2003), Solar-Heliospheric  
Magnetospheric Observations on March 23–April 26, 2001: Similarities to Observations in

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- April 1979, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 758–761, [10.1063/1.1618703](https://doi.org/10.1063/1.1618703).
- [12] Blanco, J. J., J. Rodríguez-pacheco, and J. Sequeiros (2003), A new Method for Determining the Interplanetary Current-Sheet Local Orientation, *Solar Phys.*, **213**, 147–172.
- [13] Bochev, A. Z., and I. I. A. -Dimitrova (2003), Magnetic cloud and magnetosphere - Ionosphere response to the 6 November 1997 CME, *Adv. Space Res.*, **32**, 1981–1987, [10.1016/S0273-1177\(03\)90636-3](https://doi.org/10.1016/S0273-1177(03)90636-3).
- [14] Bothmer, V. (2003), Sources of magnetic helicity over the solar cycle, in *Solar Variability as an Input to the Earth's Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 419–428.
- [15] Burlaga, L., D. Berdichevsky, N. Gopalswamy, R. Lepping, and T. Zurbuchen (2003), Merged interaction regions at 1 AU, *J. Geophys. Res.*, **108**, 1425, [10.1029/2003JA010088](https://doi.org/10.1029/2003JA010088).
- [16] Burlaga, L. F., C. Wang, J. D. Richardson, and N. F. Ness (2003), Evolution of the multiscale statistical properties of corotating streams from 1 to 95 AU, *J. Geophys. Res.*, **108**, 1305, [10.1029/2003JA009841](https://doi.org/10.1029/2003JA009841).
- [17] Cane, H. V. (2003), Near-Relativistic Solar Electrons and Type III Radio Bursts, *Astrophys. J.*, **598**, 1403–1408, [10.1086/379007](https://doi.org/10.1086/379007).
- [18] Cane, H. V., and W. C. Erickson (2003), Energetic particle propagation in the inner heliosphere as deduced from low-frequency ( $\leq 100$  kHz) observations of type III radio bursts, *J. Geophys. Res.*, **108**(A5), 1203, [10.1029/2002JA009488](https://doi.org/10.1029/2002JA009488).
- [19] Chen, L.-J., A. Bhattacharjee, K. Sigsbee, G. Parks, M. Fillingim, and R. Lin (2003), Wind observations pertaining to current disruption and ballooning instability during substorms, *Geophys. Res. Lett.*, **30**, 1335, [10.1029/2002GL016317](https://doi.org/10.1029/2002GL016317).
- [20] Chilingarian, A., K. Avakyan, V. Babayan, N. Bostanjyan, S. Chilingarian, V. Eganov, A. Hovhanissyan, G. Karapetyan, N. Gevorgyan, G. Gharagyozyan, S. Ghazaryan, A. Garyaka, V. Ivanov, H. Martirosian, R. Martirosov, L. Melkumyan, H. Sogoyan, S. Sokhoyan, S. Tserunyan, A. Vardanyan, A. Yeremian, and M. Zazyan (2003), Aragats space-environmental centre: status and SEP forecasting possibilities, *J. Phys. G Nucl. Phys.*, **29**, 939–951.
- [21] Cho, K.-S., Y.-J. Moon, M. Dryer, C. D. Fry, Y.-D. Park, and K.-S. Kim (2003), A statistical comparison of interplanetary shock and CME propagation models, *J. Geophys. Res.*, **108**, 1445, [10.1029/2003JA010029](https://doi.org/10.1029/2003JA010029).
- [22] Christensen, T., N. Østgaard, T. J. Rosenberg, D. L. Detrick, G. A. Germany, and P. Stauning (2003), Conjugate high-intensity energetic electron precipitation at high latitude, *Ann. Geophys.*, **21**, 1443–1455, [10.5194/angeo-21-1443-2003](https://doi.org/10.5194/angeo-21-1443-2003).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [23] Claßen, H. T., G. Mann, A. Klassen, and H. Aurass (2003), Relative timing of electron acceleration and injection at solar flares: A case study, *Astron. & Astrophys.*, **409**, 309–316, [10.1051/0004-6361:20031097](https://doi.org/10.1051/0004-6361:20031097).
- [24] Claßen, T., G. Mann, A. Klassen, and H. Aurass (2003), Accelerated particles and electromagnetic emission associated with coronal shock waves: first RHESSI results, *Hvar Observatory Bull.*, **27**, 151–158.
- [25] Cline, T. L., S. D. Barthelmy, P. S. Butterworth, T. B. Sheets, R. I. Aptekar, D. D. Frederiks, S. V. Golenetskii, V. N. Il’Inskii, E. P. Mazets, and V. D. Pal’Shin (2003), Seven-year Konus GRB Catalog, in *Gamma-Ray Burst and Afterglow Astronomy 2001: A Workshop Celebrating the First Year of the HETE Mission*, American Institute of Physics Conference Series, vol. 662, edited by G. R. Ricker & R. K. Vanderspek, pp. 143–143, [10.1063/1.1579322](https://doi.org/10.1063/1.1579322).
- [26] Cliver, E. W., S. W. Kahler, and D. V. Reames (2003), Coronal Shocks and Solar Energetic Proton Events, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 3331–+.
- [27] Connors, M., G. Rostoker, G. Sofko, R. L. McPherron, and M. G. Henderson (2003), Ps 6 disturbances: relation to substorms and the auroral oval, *Ann. Geophys.*, **21**, 493–508, [10.5194/angeo-21-493-2003](https://doi.org/10.5194/angeo-21-493-2003).
- [28] Crider, D. H., D. Vignes, A. M. Krymskii, T. K. Breus, N. F. Ness, D. L. Mitchell, J. A. Slavin, and M. H. Acuña (2003), A proxy for determining solar wind dynamic pressure at Mars using Mars Global Surveyor data, *J. Geophys. Res.*, **108**, 1461, [10.1029/2003JA009875](https://doi.org/10.1029/2003JA009875).
- [29] Crooker, N. U., D. E. Larson, S. W. Kahler, S. M. Lamassa, and H. E. Spence (2003), Suprathermal electron isotropy in high-beta solar wind and its role in heat flux dropouts, *Geophys. Res. Lett.*, **30**, 1619, [10.1029/2003GL017036](https://doi.org/10.1029/2003GL017036).
- [30] Cummer, S. A., J. L. Green, B. W. Reinisch, S. F. Fung, M. L. Kaiser, J. S. Pickett, I. Christopher, R. Mutel, D. A. Gurnett, and C. P. Escoubet (2003), Advances in magnetospheric radio wave analysis and tomography, *Adv. Space Res.*, **32**, 329–336, [10.1016/S0273-1177\(03\)90271-7](https://doi.org/10.1016/S0273-1177(03)90271-7).
- [31] Dalla, S., A. Balogh, S. Krucker, A. Posner, R. Müller-Mellin, J. D. Anglin, M. Y. Hofer, R. G. Marsden, T. R. Sanderson, B. Heber, M. Zhang, and R. B. McKibben (2003), Delay in solar energetic particle onsets at high heliographic latitudes, *Ann. Geophys.*, **21**, 1367–1375, [10.5194/angeo-21-1367-2003](https://doi.org/10.5194/angeo-21-1367-2003).
- [32] Dalla, S., A. Balogh, S. Krucker, A. Posner, R. Müller-Mellin, J. D. Anglin, M. Y. Hofer, R. G. Marsden, T. R. Sanderson, C. Tranquille, B. Heber, M. Zhang, and R. B. McKibben (2003), Properties of high heliolatitude solar energetic particle events and constraints on models of acceleration and propagation, *Geophys. Res. Lett.*, **30**, 8035, [10.1029/2003GL017139](https://doi.org/10.1029/2003GL017139).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [33] Dasso, S., F. T. Gratton, and C. J. Farrugia (2003), A parametric study of the influence of ion and electron properties on the excitation of electromagnetic ion cyclotron waves in coronal mass ejections, *J. Geophys. Res.*, **108**, 1149, [10.1029/2002JA009558](https://doi.org/10.1029/2002JA009558).
- [34] Dasso, S., C. H. Mandrini, P. Démoulin, and C. J. Farrugia (2003), Magnetic helicity analysis of an interplanetary twisted flux tube, *J. Geophys. Res.*, **108**, 1362, [10.1029/2003JA009942](https://doi.org/10.1029/2003JA009942).
- [35] Dean, A. J., A. J. Bird, N. Diallo, C. Ferguson, J. J. Lockley, S. E. Shaw, M. J. Westmore, and D. R. Willis (2003), The Modelling of Background Noise in Astronomical Gamma Ray Telescopes, *Space Sci. Rev.*, **105**, 285–376, [10.1023/A:1023995803108](https://doi.org/10.1023/A:1023995803108).
- [36] del Peral, L., R. Gómez-Herrero, M. D. Rodríguez-Frías, J. Gutiérrez, R. Müller-Mellin, and H. Kunow (2003), Jovian electrons in the heliosphere: new insights from EPHIN on board SOHO, *Astroparticle Phys.*, **20**, 235–245, [10.1016/S0927-6505\(03\)00170-1](https://doi.org/10.1016/S0927-6505(03)00170-1).
- [37] Desai, M. I., G. M. Mason, J. R. Dwyer, J. E. Mazur, R. E. Gold, S. M. Krimigis, C. W. Smith, and R. M. Skoug (2003), Evidence for a Suprathermal Seed Population of Heavy Ions Accelerated by Interplanetary Shocks near 1 AU, *Astrophys. J.*, **588**, 1149–1162, [10.1086/374310](https://doi.org/10.1086/374310).
- [38] Dmitriev, A. V., and J. K. Chao (2003), Dependence of geosynchronous relativistic electron enhancements on geomagnetic parameters, *J. Geophys. Res.*, **108**, 1388, [10.1029/2002JA009664](https://doi.org/10.1029/2002JA009664).
- [39] Dröge, W. (2003), Solar Particle Transport in a Dynamical Quasi-linear Theory, *Astrophys. J.*, **589**, 1027–1039, [10.1086/374812](https://doi.org/10.1086/374812).
- [40] Duldig, M., D. J. Bombardieri, and J. E. Humble (2003), Further Fine Time Resolution Analysis of the Bastille Day 2000 GLE, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 3389–+.
- [41] Ebihara, Y., and M. Ejiri (2003), Numerical Simulation of the Ring Current: Review, *Space Sci. Rev.*, **105**, 377–452, [10.1023/A:1023905607888](https://doi.org/10.1023/A:1023905607888).
- [42] Ebihara, Y., M. Ejiri, and H. Nilsson (2003), Single particle simulation on the storm-time ring current formation and DST variation, *Adv. Space Res.*, **31**, 1051–1058, [10.1016/S0273-1177\(02\)00784-6](https://doi.org/10.1016/S0273-1177(02)00784-6).
- [43] Echer, E., W. D. Gonzalez, M. V. Alves, A. L. C. Gonzalez, A. dal Lago, L. E. A. Vieira, F. L. Guarnieri, J. C. Santos, L. A. Balmaceda, and N. J. Schuch (2003), Geomagnetic effects of interplanetary shock waves during solar minimum (1995-1996) and solar maximum (2000), in *Solar Variability as an Input to the Earth's Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 641–644.
- [44] Eriksson, S., W. J. Peria, J. W. Bonnell, Y.-J. Su, R. E. Ergun, Y.-K. Tung, G. K. Parks, and C. W. Carlson (2003), Lobe cell convection and polar cap precipitation, *J. Geophys. Res.*, **108**, 1198, [10.1029/2002JA009725](https://doi.org/10.1029/2002JA009725).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [45] Erkaev, N. V., C. J. Farrugia, and H. K. Biernat (2003), The role of the magnetic barrier in the Solar wind-magnetosphere interaction, *Planet. Space Sci.*, **51**, 745–755, [10.1016/S0032-0633\(03\)00111-9](https://doi.org/10.1016/S0032-0633(03)00111-9).
- [46] Fairfield, D. H., C. J. Farrugia, T. Mukai, T. Nagai, and A. Fedorov (2003), Motion of the dusk flank boundary layer caused by solar wind pressure changes and the Kelvin-Helmholtz instability: 10-11 January 1997, *J. Geophys. Res.*, **108**, 1460, [10.1029/2003JA010134](https://doi.org/10.1029/2003JA010134).
- [47] Fárník, F., H. S. Hudson, M. Karlický, and T. Kosugi (2003), X-ray and radio observations of the activation stages of an X-class solar flare, *Astron. & Astrophys.*, **399**, 1159–1166, [10.1051/0004-6361:20021852](https://doi.org/10.1051/0004-6361:20021852).
- [48] Farrugia, C. J., and P. E. Sandholt (2003), Magnetosphere-Ionosphere Coupling at Mid-morning local times: Dependence on IMF parameters, in *Earth's Low-Latitude Boundary Layer, Geophys. Monogr. Ser.*, vol. 133, edited by P. T. Newell and T. G. Onsager, pp. 351–359, AGU, Washington, D.C., [10.1029/GM133](https://doi.org/10.1029/GM133).
- [49] Farrugia, C. J., P. E. Sandholt, N. C. Maynard, R. B. Torbert, and D. M. Ober (2003), Temporal variations in a four-sheet field-aligned current system and associated aurorae as observed during a Polar-ground magnetic conjunction in the midmorning sector, *J. Geophys. Res.*, **108**, 1230, [10.1029/2002JA009619](https://doi.org/10.1029/2002JA009619).
- [50] Farrugia, C. J., H. Matsui, and R. B. Torbert (2003), Coherence Lengths of the Interplanetary Electric Field: Solar Cycle Maximum Conditions, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 766–769, [10.1063/1.1618705](https://doi.org/10.1063/1.1618705).
- [51] Farrugia, C. J., V. K. Jordanova, M. P. Freeman, C. C. Cochechi, R. L. Arnoldy, M. Engebretson, P. Stauning, G. Rostoker, M. F. Thomsen, G. Reeves, and K. Yumoto (2003), Large-scale geomagnetic effects of May 4, 1998, *Adv. Space Res.*, **31**, 1111–1116, [10.1016/S0273-1177\(02\)00890-6](https://doi.org/10.1016/S0273-1177(02)00890-6).
- [52] Farrugia, C. J., L. F. Burlaga, V. K. Jordanova, M. P. Freeman, G. Lawrence, H. Matsui, C. C. Cochechi, R. L. Arnoldy, J. D. Scudder, K. W. Ogilvie, and R. P. Lepping (2003), Power to the magnetosphere: May 4, 1998, *Adv. Space Res.*, **31**, 1117–1122, [10.1016/S0273-1177\(02\)00891-8](https://doi.org/10.1016/S0273-1177(02)00891-8).
- [53] Farrugia, C. J., G. Gnani, F. T. Gratton, M. Oieroset, K. W. Ogilvie, R. P. Lepping, and R. P. Lid (2003), Waves in the plasma depletion layer derived from three magnetosheath passes made by WIND, *Adv. Space Res.*, **31**, 1099–1104, [10.1016/S0273-1177\(02\)00807-4](https://doi.org/10.1016/S0273-1177(02)00807-4).
- [54] Feng, X., S. T. Wu, F. Wei, and Q. Fan (2003), A Class of TVD Type Combined Numerical Scheme for MHD Equations With a Survey About Numerical Methods in Solar Wind Simulations, *Space Sci. Rev.*, **107**, 43–53, [10.1023/A:1025547016708](https://doi.org/10.1023/A:1025547016708).
- [55] Feroci, M., S. Mereghetti, P. Woods, C. Kouveliotou, E. Costa, D. D. Frederiks, S. V. Golenetskii, K. Hurley, E. Mazets, P. Soffitta, and M. Tavani (2003), The 2001 April Burst



**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- Activation of SGR 1900+14: X-Ray Afterglow Emission, *Astrophys. J.*, **596**, 470–476, [10.1086/377513](https://doi.org/10.1086/377513).
- [56] Fitzenreiter, R. J., K. W. Ogilvie, S. D. Bale, and A. F. Viñas (2003), Modification of the solar wind electron velocity distribution at interplanetary shocks, *J. Geophys. Res.*, **108**, 1415, [10.1029/2003JA009865](https://doi.org/10.1029/2003JA009865).
- [57] Golenetskii, S., R. Aptekar, D. Frederiks, E. Mazets, V. Palshin, K. Hurley, T. Cline, and B. Stern (2003), Observations of Giant Outbursts from Cygnus X-1, *Astrophys. J.*, **596**, 1113–1120, [10.1086/378190](https://doi.org/10.1086/378190).
- [58] González-Esparza, J. A., A. Lara, E. Pérez-Tijerina, A. Santillán, and N. Gopalswamy (2003), A numerical study on the acceleration and transit time of coronal mass ejections in the interplanetary medium, *J. Geophys. Res.*, **108**, 1039, [10.1029/2001JA009186](https://doi.org/10.1029/2001JA009186).
- [59] Gopalswamy, N. (2003), Coronal mass ejections: Initiation and detection, *Adv. Space Res.*, **31**, 869–881, [10.1016/S0273-1177\(02\)00888-8](https://doi.org/10.1016/S0273-1177(02)00888-8).
- [60] Gopalswamy, N., S. Yashiro, A. Lara, M. L. Kaiser, B. J. Thompson, P. T. Gallagher, and R. A. Howard (2003), Large solar energetic particle events of cycle 23: A global view, *Geophys. Res. Lett.*, **30**, 8015, [10.1029/2002GL016435](https://doi.org/10.1029/2002GL016435).
- [61] Gopalswamy, N., P. K. Manoharan, and S. Yashiro (2003), Comment on “Coronal mass ejections, interplanetary ejecta and geomagnetic storms” by H. V. Cane, I. G. Richardson, and O. C. St. Cyr, *Geophys. Res. Lett.*, **30**, 2232, [10.1029/2003GL017562](https://doi.org/10.1029/2003GL017562).
- [62] Gopalswamy, N., A. Lara, S. Yashiro, S. Nunes, and R. A. Howard (2003), Coronal mass ejection activity during solar cycle 23, in *Solar Variability as an Input to the Earth’s Environment*, *ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 403–414.
- [63] Gopalswamy, N., S. Yashiro, G. Michalek, M. L. Kaiser, R. A. Howard, R. Leske, T. von Rosenvinge, and D. V. Reames (2003), Effect of CME Interactions on the Production of Solar Energetic Particles, in *Solar Wind Ten*, *American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 608–611, [10.1063/1.1618668](https://doi.org/10.1063/1.1618668).
- [64] Gopalswamy, N., S. Yashiro, M. L. Kaiser, and R. A. Howard (2003), Coronal mass ejection interaction and particle acceleration during the 2001 April 14 15 events, *Adv. Space Res.*, **32**, 2613–2618, [10.1016/j.asr.2003.09.038](https://doi.org/10.1016/j.asr.2003.09.038).
- [65] Grande, M., R. Browning, N. Waltham, D. Parker, S. K. Dunkin, B. Kent, B. Kellett, C. H. Perry, B. Swinyard, A. Perry, J. Feraday, C. Howe, G. McBride, K. Phillips, J. Huovelin, P. Muhli, P. J. Hakala, O. Vilhu, J. Laukkanen, N. Thomas, D. Hughes, H. Alleyne, M. Grady, R. Lundin, S. Barabash, D. Baker, P. E. Clark, C. D. Murray, J. Guest, I. Casanova, L. C. D’Uston, S. Maurice, B. Foing, D. J. Heather, V. Fernandes, K. Muinonen, S. S. Russell, A. Christou, C. Owen, P. Charles, H. Koskinen, M. Kato, K. Sipila, S. Nenonen, M. Holmstrom, N. Bhandari, R. Elphic, and D. Lawrence (2003), The D-CIXS X-ray mapping spectrometer on SMART-1, *Planet. Space Sci.*, **51**, 427–433, [10.1016/S0032-0633\(03\)00020-5](https://doi.org/10.1016/S0032-0633(03)00020-5).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [66] Green, J. L., and B. W. Reinisch (2003), An Overview of Results From rpi on Image, *Space Sci. Rev.*, **109**, 183–210, [10.1023/B:SPAC.0000007519.44362.65](https://doi.org/10.1023/B:SPAC.0000007519.44362.65).
- [67] Hasegawa, H., M. Fujimoto, K. Maezawa, Y. Saito, and T. Mukai (2003), Geotail observations of the dayside outer boundary region: Interplanetary magnetic field control and dawn-dusk asymmetry, *J. Geophys. Res.*, **108**, 1163, [10.1029/2002JA009667](https://doi.org/10.1029/2002JA009667).
- [68] Hausman, B. A. (2003), Tangential discontinuities as diagnostics for disordered (e.g. quasi-parallel) shocks, *Planet. Space Sci.*, **51**, 703–712, [10.1016/S0032-0633\(03\)00105-3](https://doi.org/10.1016/S0032-0633(03)00105-3).
- [69] Hidalgo, M. A. (2003), An Approach to the Relationship Between Magnetic Clouds and the Recovery Phase of Geomagnetic Storms, *Solar Phys.*, **216**, 311–324, [10.1023/A:1026159717348](https://doi.org/10.1023/A:1026159717348).
- [70] Hill, M. E., D. C. Hamilton, J. E. Mazur, and S. M. Krimigis (2003), Anomalous cosmic ray intensity variations in the inner and outer heliosphere during the solar cycle 22 recovery phase (1991-1999), *J. Geophys. Res.*, **108**, 8037, [10.1029/2003JA009914](https://doi.org/10.1029/2003JA009914).
- [71] Hnat, B., S. C. Chapman, G. Rowlands, N. W. Watkins, and M. P. Freeman (2003), Scaling in long term data sets of geomagnetic indices and solar wind  $\epsilon$  as seen by WIND spacecraft, *Geophys. Res. Lett.*, **30**, 2174, [10.1029/2003GL018209](https://doi.org/10.1029/2003GL018209).
- [72] Hnat, B., S. C. Chapman, N. Watkins, and M. P. Freeman (2003), Correction to “Scaling of solar wind  $\epsilon$  and the AU, AL and AE indices as seen by WIND” by B. Hnat, S. C. Chapman, G. Rowlands, N. W. Watkins, and M. P. Freeman, *Geophys. Res. Lett.*, **30**, 1426, [10.1029/2003GL017194](https://doi.org/10.1029/2003GL017194).
- [73] Hnat, B., S. C. Chapman, and G. Rowlands (2003), Intermittency, scaling, and the Fokker-Planck approach to fluctuations of the solar wind bulk plasma parameters as seen by the WIND spacecraft, *Phys. Rev. E*, **67**, 056404–+, [10.1103/PhysRevE.67.056404](https://doi.org/10.1103/PhysRevE.67.056404).
- [74] Ho, G. C., E. C. Roelof, G. M. Mason, D. Lario, and J. E. Mazur (2003), Onset study of impulsive solar energetic particle events, *Adv. Space Res.*, **32**, 2679–2684, [10.1016/S0273-1177\(03\)90450-9](https://doi.org/10.1016/S0273-1177(03)90450-9).
- [75] Hosokawa, K., E. E. Woodfield, M. Lester, S. E. Milan, N. Sato, A. S. Yukimatu, and T. Iyemori (2003), Interhemispheric comparison of spectral width boundary as observed by SuperDARN radars, *Ann. Geophys.*, **21**, 1553–1565, [10.5194/angeo-21-1553-2003](https://doi.org/10.5194/angeo-21-1553-2003).
- [76] Huang, C.-S., J. C. Foster, G. D. Reeves, J. Watermann, J. H. Sastri, K. Yumoto, and P. Song (2003), Global magnetospheric-ionospheric oscillations initiated by a solar wind pressure impulse, *J. Geophys. Res.*, **108**, 1232, [10.1029/2002JA009465](https://doi.org/10.1029/2002JA009465).
- [77] Hurley, K., T. Cline, I. Mitrofanov, E. Mazets, S. Golenetskii, F. Frontera, E. Montanari, C. Guidorzi, and M. Feroci (2003), The Current Performance of the Third Interplanetary Network, in *Gamma-Ray Burst and Afterglow Astronomy 2001: A Workshop Celebrating the First Year of the HETE Mission*, *American Institute of Physics Conference Series*, vol. 662, edited by G. R. Ricker and R. K. Vanderspek, pp. 473–476, [10.1063/1.1579405](https://doi.org/10.1063/1.1579405).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [78] Hurley, K., J.-L. Atteia, G. Crew, G. Ricker, J. Doty, G. Monnelly, R. Vanderspek, J. Villasenor, and T. Cline (2003), HETE-II and the Interplanetary Network, in *Gamma-Ray Burst and Afterglow Astronomy 2001: A Workshop Celebrating the First Year of the HETE Mission*, *American Institute of Physics Conference Series*, vol. 662, edited by G. R. Ricker & R. K. Vanderspek, pp. 42–44, [10.1063/1.1579296](https://doi.org/10.1063/1.1579296).
- [79] Jordanova, V. K. (2003), New Insights on Geomagnetic Storms from Model Simulations Using Multi-Spacecraft Data, *Space Sci. Rev.*, **107**, 157–165, [10.1023/A:1025575807139](https://doi.org/10.1023/A:1025575807139).
- [80] Jordanova, V. K., A. Boonsirisetth, R. M. Thorne, and Y. Dotan (2003), Ring current asymmetry from global simulations using a high-resolution electric field model, *J. Geophys. Res.*, **108**, 1443, [10.1029/2003JA009993](https://doi.org/10.1029/2003JA009993).
- [81] Kahler, S. W. (2003), Energetic particle acceleration by coronal mass ejections, *Adv. Space Res.*, **32**, 2587–2596, [10.1016/j.asr.2003.02.006](https://doi.org/10.1016/j.asr.2003.02.006).
- [82] Kahler, S. W., and D. V. Reames (2003), Solar Energetic Particle Production by Coronal Mass Ejection-driven Shocks in Solar Fast-Wind Regions, *Astrophys. J.*, **584**, 1063–1070, [10.1086/345780](https://doi.org/10.1086/345780).
- [83] Kahler, S. W., G. M. Simnett, and M. J. Reiner (2003), Onsets of Solar Cycle 23 Ground Level Events as Probes of Solar Energetic Particle Injections at the Sun, in *International Cosmic Ray Conference*, *International Cosmic Ray Conference*, vol. 6, pp. 3415–+.
- [84] Kahler, S. W., N. U. Crooker, and D. E. Larson (2003), Probing the magnetic polarity structure of the heliospheric current sheet, *J. Geophys. Res.*, **108**, 1316, [10.1029/2002JA009649](https://doi.org/10.1029/2002JA009649).
- [85] Kahler, S. W., N. U. Crooker, and D. E. Larson (2003), Parameterizing the Wind 3DP Heat Flux Electron Data, in *Solar Wind Ten*, *American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 172–175, [10.1063/1.1618569](https://doi.org/10.1063/1.1618569).
- [86] Kaiser, M. L. (2003), Solar radio emissions at solar maximum: Interplanetary perspective, *Adv. Space Res.*, **32**, 461–465, [10.1016/S0273-1177\(03\)00330-2](https://doi.org/10.1016/S0273-1177(03)00330-2).
- [87] Kasper, J. C., A. J. Lazarus, S. P. Gary, and A. Szabo (2003), Solar Wind Temperature Anisotropies, in *Solar Wind Ten*, *American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 538–541, [10.1063/1.1618653](https://doi.org/10.1063/1.1618653).
- [88] Kataoka, R., H. Fukunishi, and L. J. Lanzerotti (2003), Statistical identification of solar wind origins of magnetic impulse events, *J. Geophys. Res.*, **108**, 1436, [10.1029/2003JA010202](https://doi.org/10.1029/2003JA010202).
- [89] Kaufmann, R. L., W. R. Paterson, and L. A. Frank (2003), Birkeland currents in the plasma sheet, *J. Geophys. Res.*, **108**, 1299, [10.1029/2002JA009665](https://doi.org/10.1029/2002JA009665).
- [90] Kellogg, P. J. (2003), Langmuir waves associated with collisionless shocks; a review, *Planet. Space Sci.*, **51**, 681–691, [10.1016/j.pss.2003.05.001](https://doi.org/10.1016/j.pss.2003.05.001).



**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [91] Kepko, L., and H. E. Spence (2003), Observations of discrete, global magnetospheric oscillations directly driven by solar wind density variations, *J. Geophys. Res.*, **108**, 1257, [10.1029/2002JA009676](https://doi.org/10.1029/2002JA009676).
- [92] Kessel, R., S. Fung, and D. Milling (2003), Correlation of Pc5 wave power inside and outside the magnetosphere during high speed streams, in *EGS - AGU - EUG Joint Assembly*, pp. 4546–+.
- [93] Kirsch, E., and U. Mall (2003), Suprathermal proton and alpha -particle bursts ( $E/q = 6.5\text{--}225$  keV/e) observed by the WIND-, ACE- and IMP8-S/C during depressions of the interplanetary magnetic field, *Astron. & Astrophys.*, **400**, 729–736, [10.1051/0004-6361:20021835](https://doi.org/10.1051/0004-6361:20021835).
- [94] Klassen, A., M. Karlický, and G. Mann (2003), Superluminal apparent velocities of relativistic electron beams in the solar corona, *Astron. & Astrophys.*, **410**, 307–314, [10.1051/0004-6361:20031247](https://doi.org/10.1051/0004-6361:20031247).
- [95] Klein, K.-L., S. Krucker, and G. Trottet (2003), WIND/3DP and Nancay radioheliograph observations of solar energetic electron events, *Adv. Space Res.*, **32**, 2521–2526, [10.1016/j.asr.2003.02.008](https://doi.org/10.1016/j.asr.2003.02.008).
- [96] Klein, K.-L., R. A. Schwartz, J. M. McTiernan, G. Trottet, A. Klassen, and A. Lecacheux (2003), An upper limit of the number and energy of electrons accelerated at an extended coronal shock wave, *Astron. & Astrophys.*, **409**, 317–324, [10.1051/0004-6361:20031034](https://doi.org/10.1051/0004-6361:20031034).
- [97] Kletzing, C. A., J. D. Scudder, E. E. Dors, and C. Curto (2003), Auroral source region: Plasma properties of the high-latitude plasma sheet, *J. Geophys. Res.*, **108**, 1360, [10.1029/2002JA009678](https://doi.org/10.1029/2002JA009678).
- [98] Kocharov, L., and J. Torsti (2003), The Origin of High-Energy  $^3\text{He}$ -rich Solar Particle Events, *Astrophys. J.*, **586**, 1430–1435, [10.1086/367882](https://doi.org/10.1086/367882).
- [99] Kocharov, L., G. A. Kovaltsov, J. Torsti, A. Anttila, and T. Sahla (2003), Modeling the propagation of solar energetic particles in corotating compression regions of solar wind, *J. Geophys. Res.*, **108**, 1404, [10.1029/2003JA009928](https://doi.org/10.1029/2003JA009928).
- [100] Kosyрева, V. O., N. G. Kleimenova, P. Ivanova, and J.-J. Schott (2003), Low Latitude Pc5-6 Geomagnetic Pulsations as an Indicator of Compressional Waves in the Solar Wind, *Comptes Rendus de l'Academie Bulgare des Sciences*, **56**, 120,000–+.
- [101] Krucker, S. (2003), On the Origin of Solar Energetic Particle Events, in *Energy Conversion and Particle Acceleration in the Solar Corona, Lecture Notes in Physics, Berlin Springer Verlag*, vol. 612, edited by L. Klein, pp. 179–192.
- [102] Kunow, H. W., and A. Posner (2003), Energy Dispersion in Solar Ion Events over 4 Orders of Magnitude: SOHO/COSTEP and Wind/STICS, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 3309–+.

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [103] Kuznetsov, S. N., A. V. Bogomolov, Y. I. Denisov, Z. Kordylewski, K. Kudela, V. G. Kurt, D. V. Lisin, I. N. Myagkova, A. N. Podorol'skii, T. B. Podosenova, S. I. Svertilov, J. Sylwester, A. I. Stepanov, and B. Y. Yushkov (2003), The Solar Flare of November 4, 2001, and Its Manifestations in Energetic Particles from Coronas-F Data, *Solar Syst. Res.*, **37**, 121–127.
- [104] Lazarus, A., J. Kasper, A. Szabo, and K. Ogilvie (2003), Solar Wind Streams and Their Interactions, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 187–189, [10.1063/1.1618573](https://doi.org/10.1063/1.1618573).
- [105] Lenters, G. T., P. M. Woods, J. E. Goupell, C. Kouveliotou, E. Göğüş, K. Hurley, D. Frederiks, S. Golenetskii, and J. Swank (2003), An Extended Burst Tail from SGR 1900+14 with a Thermal X-Ray Spectrum, *Astrophys. J.*, **587**, 761–770, [10.1086/368343](https://doi.org/10.1086/368343).
- [106] Lenters, G. T., P. M. Woods, J. E. Goupell, C. Kouveliotou, E. Göğüş, K. Hurley, D. Frederiks, and S. Golenetskii (2003), An Extended Burst Tail from SGR 1900+14 with a Thermal X-Ray Spectrum, in *Gamma-Ray Burst and Afterglow Astronomy 2001: A Workshop Celebrating the First Year of the HETE Mission, American Institute of Physics Conference Series*, vol. 662, edited by G. R. Ricker and R. K. Vanderspek, pp. 570–573, [10.1063/1.1579433](https://doi.org/10.1063/1.1579433).
- [107] Lepping, R. P., D. B. Berdichevsky, A. Szabo, C. Arqueros, and A. J. Lazarus (2003), Profile of an Average Magnetic Cloud at 1 au for the Quiet Solar Phase: Wind Observations, *Solar Phys.*, **212**, 425–444.
- [108] Leske, R. A., M. E. Wiedenbeck, C. M. S. Cohen, R. A. Mewaldt, A. C. Cummings, E. C. Stone, and T. T. von Rosenvinge (2003), The Unusual Solar Particle Events of August 2002, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 3253–+.
- [109] Leubner, M. P. (2003), An analytical representation of non-gyrotropic distributions and related space applications, *Planet. Space Sci.*, **51**, 723–729, [10.1016/S0032-0633\(03\)00109-0](https://doi.org/10.1016/S0032-0633(03)00109-0).
- [110] Li, X., D. N. Baker, S. Elkington, M. Temerin, G. D. Reeves, R. D. Belian, J. B. Blake, H. J. Singer, W. Peria, and G. Parks (2003), Energetic particle injections in the inner magnetosphere as a response to an interplanetary shock, *J. Atmos. Solar-Terr. Phys.*, **65**, 233–244, [10.1016/S1364-6826\(02\)00286-9](https://doi.org/10.1016/S1364-6826(02)00286-9).
- [111] Li, X., D. N. Baker, D. Larson, M. Temerin, G. Reeves, and S. G. Kanekal (2003), The predictability of the magnetosphere and space weather, *EOS Trans.*, **84**, 361–370, [10.1029/2003EO370002](https://doi.org/10.1029/2003EO370002).
- [112] Lilensten, J., and L. R. Cander (2003), Calibration of the TEC derived from GPS measurements and from ionospheric models using the EISCAT radar, *J. Atmos. Solar-Terr. Phys.*, **65**, 833–842, [10.1016/S1364-6826\(03\)00087-7](https://doi.org/10.1016/S1364-6826(03)00087-7).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [113] Lin, R. P., and Rhesi Team (2003), Rhesi observations of particle acceleration in solar flares, *Adv. Space Res.*, **32**, 1001–1010, [10.1016/S0273-1177\(03\)00302-8](https://doi.org/10.1016/S0273-1177(03)00302-8).
- [114] Lin, R. P., S. Krucker, G. J. Hurford, D. M. Smith, H. S. Hudson, G. D. Holman, R. A. Schwartz, B. R. Dennis, G. H. Share, R. J. Murphy, A. G. Emslie, C. Johns-Krull, and N. Vilmer (2003), RHESSI Observations of Particle Acceleration and Energy Release in an Intense Solar Gamma-Ray Line Flare, *Astrophys. J.*, **595**, L69–L76, [10.1086/378932](https://doi.org/10.1086/378932).
- [115] Liou, K., P. T. Newell, C.-I. Meng, C.-C. Wu, and R. P. Lepping (2003), Investigation of external triggering of substorms with Polar ultraviolet imager observations, *J. Geophys. Res.*, **108**, 1364, [10.1029/2003JA009984](https://doi.org/10.1029/2003JA009984).
- [116] Lockwood, M., B. S. Lanchester, H. U. Frey, K. Throp, S. K. Morley, S. E. Milan, and M. Lester (2003), IMF control of cusp proton emission intensity and dayside convection: implications for component and anti-parallel reconnection, *Ann. Geophys.*, **21**, 955–982, [10.5194/angeo-21-955-2003](https://doi.org/10.5194/angeo-21-955-2003).
- [117] Lyatsky, W., and A. Tan (2003), Solar wind disturbances responsible for geomagnetic storms, *J. Geophys. Res.*, **108**, 1134, [10.1029/2001JA005057](https://doi.org/10.1029/2001JA005057).
- [118] MacDowall, R. J., A. Lara, P. K. Manoharan, N. V. Nitta, A. M. Rosas, and J. L. Bougeret (2003), Long-duration hectometric type III radio bursts and their association with solar energetic particle (SEP) events, *Geophys. Res. Lett.*, **30**, 8018, [10.1029/2002GL016624](https://doi.org/10.1029/2002GL016624).
- [119] Maia, D., G. Aulanier, S. J. Wang, M. Pick, J.-M. Malherbe, and J.-P. Delaboudinière (2003), Interpretation of a complex CME event: Coupling of scales in multiple flux systems, *Astron. & Astrophys.*, **405**, 313–323, [10.1051/0004-6361:20030359](https://doi.org/10.1051/0004-6361:20030359).
- [120] Mann, G. (2003), Electron Acceleration in the Solar Corona, *Hvar Observatory Bull.*, **27**, 91–102.
- [121] Mann, G., A. Klassen, H. Aurass, and H.-T. Classen (2003), Formation and development of shock waves in the solar corona and the near-Sun interplanetary space, *Astron. & Astrophys.*, **400**, 329–336, [10.1051/0004-6361:20021593](https://doi.org/10.1051/0004-6361:20021593).
- [122] Manoharan, P. K. (2003), The Solar Wind, in *Lectures on Solar Physics, Lecture Notes in Physics, Berlin Springer Verlag*, vol. 619, edited by H. M. Antia, A. Bhatnagar, & P. Ulmschneider, pp. 299–+.
- [123] Manoharan, P. K., and M. R. Kundu (2003), Coronal Structure of a Flaring Region and Associated Coronal Mass Ejection, *Astrophys. J.*, **592**, 597–606, [10.1086/375700](https://doi.org/10.1086/375700).
- [124] Maynard, N. C., D. M. Ober, W. J. Burke, J. D. Scudde, M. Lester, M. Dunlop, J. A. Wild, and A. Grocott (2003), Polar, Cluster and SuperDARN evidence for high-latitude merging during southward IMF: temporal/spatial evolution, *Ann. Geophys.*, **21**, 2233–2258, [10.5194/angeo-21-2233-2003](https://doi.org/10.5194/angeo-21-2233-2003).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [125] McKenna-Lawlor, S., K. Kudela, K. Kecskemdy, and S.-W. Chang (2003), Spacecraft measurements of ions and electrons ( $>40$  KeV) near and far upstream of the earth's bow shock, *Adv. Space Res.*, **31**, 933–938, [10.1016/S0273-1177\(02\)00808-6](https://doi.org/10.1016/S0273-1177(02)00808-6).
- [126] Menk, F. W., T. K. Yeoman, D. M. Wright, M. Lester, and F. Honary (2003), High-latitude observations of impulse-driven ULF pulsations in the ionosphere and on the ground, *Ann. Geophys.*, **21**, 559–576, [10.5194/angeo-21-559-2003](https://doi.org/10.5194/angeo-21-559-2003).
- [127] Merka, J., A. Szabo, T. W. Narock, J. H. King, K. I. Paularena, and J. D. Richardson (2003), A comparison of IMP 8 observed bow shock positions with model predictions, *J. Geophys. Res.*, **108**, 1077, [10.1029/2002JA009384](https://doi.org/10.1029/2002JA009384).
- [128] Meziane, K., M. Wilber, R. P. Lin, and G. K. Parks (2003), Gyrophase-restricted 100 keV–2 MeV ion beams near the foreshock boundary, *Geophys. Res. Lett.*, **30**, 2049, [10.1029/2003GL017592](https://doi.org/10.1029/2003GL017592).
- [129] Motoba, T., T. Kikuchi, T. Okuzawa, and K. Yumoto (2003), Dynamical response of the magnetosphere-ionosphere system to a solar wind dynamic pressure oscillation, *J. Geophys. Res.*, **108**, 1206, [10.1029/2002JA009696](https://doi.org/10.1029/2002JA009696).
- [130] Mühlbachler, S., C. J. Farrugia, H. K. Biernat, and R. B. Torbert (2003), The geostationary field during dayside erosion events 1996–2001: A joint Wind, ACE, and GOES study, *J. Geophys. Res.*, **108**, 1418, [10.1029/2003JA009833](https://doi.org/10.1029/2003JA009833).
- [131] Ng, C. K., D. V. Reames, and A. J. Tylka (2003), Modeling Shock-accelerated Solar Energetic Particles Coupled to Interplanetary Alfvén Waves, *Astrophys. J.*, **591**, 461–485, [10.1086/375293](https://doi.org/10.1086/375293).
- [132] Nindos, A., J. Zhang, and H. Zhang (2003), The Magnetic Helicity Budget of Solar Active Regions and Coronal Mass Ejections, *Astrophys. J.*, **594**, 1033–1048, [10.1086/377126](https://doi.org/10.1086/377126).
- [133] Němeek, Z., M. Hayosh, J. Šafránková, G. N. Zastenker, and J. D. Richardson (2003), The dawn-dusk asymmetry of the magnetosheath: INTERBALL-1 observations, *Adv. Space Res.*, **31**, 1333–1340, [10.1016/S0273-1177\(03\)00007-3](https://doi.org/10.1016/S0273-1177(03)00007-3).
- [134] Ober, D. M., N. C. Maynard, and W. J. Burke (2003), Testing the Hill model of transpolar potential saturation, *J. Geophys. Res.*, **108**, 1467, [10.1029/2003JA010154](https://doi.org/10.1029/2003JA010154).
- [135] Odstrcil, D. (2003), Modeling 3-D solar wind structure, *Adv. Space Res.*, **32**, 497–506, [10.1016/S0273-1177\(03\)00332-6](https://doi.org/10.1016/S0273-1177(03)00332-6).
- [136] Ohmi, T., M. Kojima, K. Hayashi, A. Yokobe, M. Tokumaru, K. Fujiki, and K. Hakamada (2003), Evidences for Low-speed Streams from Small Coronal Hole, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 137–140, [10.1063/1.1618560](https://doi.org/10.1063/1.1618560).
- [137] Østgaard, N., D. L. Detrick, T. J. Rosenberg, R. R. Vondrak, H. U. Frey, S. B. Mende, S. E. Håland, and J. Stadsnes (2003), High-latitude dayside energetic precipitation and IMF  $B_z$  rotations, *J. Geophys. Res.*, **108**, 8013, [10.1029/2002JA009350](https://doi.org/10.1029/2002JA009350).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [138] Parkinson, M. L., M. Pinnock, H. Ye, M. R. Hairston, J. C. Devlin, P. L. Dyson, R. J. Morris, and P. Ponomarenko (2003), On the lifetime and extent of an auroral westward flow channel (AWFC) observed during a magnetospheric substorm, *Ann. Geophys.*, **21**, 893–913, [10.5194/angeo-21-893-2003](https://doi.org/10.5194/angeo-21-893-2003).
- [139] Partamies, N., O. Amm, K. Kauristie, T. I. Pulkkinen, and E. Tanskanen (2003), A pseudo-breakup observation: Localized current wedge across the postmidnight auroral oval, *J. Geophys. Res.*, **108**, 1020, [10.1029/2002JA009276](https://doi.org/10.1029/2002JA009276).
- [140] Pick, M., D. Maia, S. J. Wang, A. Lecacheux, and S. E. Hawkins (2003), Solar origin of near-relativistic impulsive electron events, *Adv. Space Res.*, **32**, 2527–2532, [10.1016/j.asr.2003.02.005](https://doi.org/10.1016/j.asr.2003.02.005).
- [141] Pickett, J. S., J. D. Menietti, D. A. Gurnett, B. Tsurutani, P. M. Kintner, E. Klatt, and A. Balogh (2003), Solitary potential structures observed in the magnetosheath by the Cluster spacecraft, *Nonlin. Proc. Geophys.*, **10**, 3–11.
- [142] Pinnock, M., G. Chisham, I. J. Coleman, M. P. Freeman, M. Hairston, and J.-P. Villain (2003), The location and rate of dayside reconnection during an interval of southward interplanetary magnetic field, *Ann. Geophys.*, **21**, 1467–1482, [10.5194/angeo-21-1467-2003](https://doi.org/10.5194/angeo-21-1467-2003).
- [143] Popielawska, B., I. Sandahl, S. Joko, H. Stenuit, S. A. Romanov, and A. V. Zakharov (2003), Oxygen ion beams at the boundary of velocity dispersed ion structures in the high-latitude magnetosphere under northward interplanetary magnetic field with a large by-component: Interball-tail observations, *Adv. Space Res.*, **31**, 1363–1370, [10.1016/S0273-1177\(02\)00949-3](https://doi.org/10.1016/S0273-1177(02)00949-3).
- [144] Posch, J. L., M. J. Engebretson, V. A. Pilipenko, W. J. Hughes, C. T. Russell, and L. J. Lanzerotti (2003), Characterizing the long-period ULF response to magnetic storms, *J. Geophys. Res.*, **108**, 1029, [10.1029/2002JA009386](https://doi.org/10.1029/2002JA009386).
- [145] Posner, A., M. W. Liemohn, and T. H. Zurbuchen (2003), Upstream magnetospheric ion flux tube within a magnetic cloud: Wind/STICS, *Geophys. Res. Lett.*, **30**, 1346, [10.1029/2002GL016116](https://doi.org/10.1029/2002GL016116).
- [146] Price, P. A., S. R. Kulkarni, E. Berger, D. W. Fox, J. S. Bloom, S. G. Djorgovski, D. A. Frail, T. J. Galama, F. A. Harrison, P. McCarthy, D. E. Reichart, R. Sari, S. A. Yost, H. Jerjen, K. Flint, A. Phillips, B. E. Warren, T. S. Axelrod, R. A. Chevalier, J. Holtzman, R. A. Kimble, B. P. Schmidt, J. C. Wheeler, F. Frontera, E. Costa, L. Piro, K. Hurley, T. Cline, C. Guidorzi, E. Montanari, E. Mazets, S. Golenetskii, I. Mitrofanov, D. Anfinov, A. Kozyrev, M. Litvak, A. Sanin, W. Boynton, C. Fellows, K. Harshman, C. Shinohara, A. Gal-Yam, E. Ofek, and Y. Lipkin (2003), Discovery of GRB 020405 and Its Late Red Bump, *Astrophys. J.*, **589**, 838–843, [10.1086/374730](https://doi.org/10.1086/374730).
- [147] Reames, D. V., and F. B. McDonald (2003), Wind Observations of Anomalous Cosmic Rays from Solar Minimum to Maximum, *Astrophys. J.*, **586**, L99–L101, [10.1086/374653](https://doi.org/10.1086/374653).



**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [148] Reiner, M. J. (2003), Radio signatures of solar energetic particle acceleration, in *Solar Variability as an Input to the Earth's Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 841–851.
- [149] Reiner, M. J., A. Vourlidas, O. C. S. Cyr, J. T. Burkepile, R. A. Howard, M. L. Kaiser, N. P. Prestage, and J.-L. Bougeret (2003), Constraints on Coronal Mass Ejection Dynamics from Simultaneous Radio and White-Light Observations, *Astrophys. J.*, **590**, 533–546, [10.1086/374917](https://doi.org/10.1086/374917).
- [150] Riazantseva, M. O., P. A. Dalin, G. N. Zastenker, and J. Richardson (2003), Orientation of Sharp Fronts of the Solar Wind Plasma, *Cosmic Res.*, **41**, 382–391.
- [151] Riazantseva, M. O., P. A. Dalin, G. N. Zastenker, V. A. Parhomov, V. G. Eselevich, M. V. Eselevich, and J. Richardson (2003), Properties of Sharp and Large Changes in the Solar Wind Ion Flux (Density), *Cosmic Res.*, **41**, 371–381.
- [152] Richardson, J. D., I. G. Richardson, J. C. Kasper, H. V. Cane, N. U. Crooker, and A. J. Lazarus (2003), Helium variation in the solar wind, in *Solar Variability as an Input to the Earth's Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 521–526.
- [153] Rodgers, D. J., S. N. Clucas, C. S. Dyer, and R. J. K. Smith (2003), Non-linear prediction of relativistic electron flux in the outer belt, *Adv. Space Res.*, **31**, 1015–1020, [10.1016/S0273-1177\(02\)00786-X](https://doi.org/10.1016/S0273-1177(02)00786-X).
- [154] Romashets, E. P., M. Vandas, and K. G. Ivanov (2003), Effects of coronal hole flows loaded by material from a disappearing filament, *Adv. Space Res.*, **31**, 907–911, [10.1016/S0273-1177\(02\)00798-6](https://doi.org/10.1016/S0273-1177(02)00798-6).
- [155] Russell, C. T., and A. A. Shinde (2003), ICME Identification from Solar Wind Ion Measurements, *Solar Phys.*, **216**, 285–294, [10.1023/A:1026108101883](https://doi.org/10.1023/A:1026108101883).
- [156] Salem, C., D. Hubert, C. Lacombe, S. D. Bale, A. Mangeney, D. E. Larson, and R. P. Lin (2003), Electron Properties and Coulomb Collisions in the Solar Wind at 1 AU: Wind Observations, *Astrophys. J.*, **585**, 1147–1157, [10.1086/346185](https://doi.org/10.1086/346185).
- [157] Salem, C., S. Hoang, K. Issautier, M. Maksimovic, and C. Perche (2003), Wind-Ulysses in-situ thermal noise measurements of solar wind electron density and core temperature at solar maximum and minimum, *Adv. Space Res.*, **32**, 491–496, [10.1016/S0273-1177\(03\)00354-5](https://doi.org/10.1016/S0273-1177(03)00354-5).
- [158] Salem, C., C. Lacombe, A. Mangeney, P. J. Kellogg, and J.-L. Bougeret (2003), Weak Double Layers in the Solar Wind and their Relation to the Interplanetary Electric Field, in *Proc. 10th Intl. Solar Wind Conf., American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, and B. Bucci, pp. 513–517, [10.1063/1.1618647](https://doi.org/10.1063/1.1618647).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [159] Sandholt, P. E., and C. J. Farrugia (2003), Does the aurora provide evidence for the occurrence of antiparallel magnetopause reconnection?, *J. Geophys. Res.*, **108**, 1466, [10.1029/2003JA010066](https://doi.org/10.1029/2003JA010066).
- [160] Sandholt, P. E., C. J. Farrugia, W. F. Denig, S. W. H. Cowley, and M. Lester (2003), Spontaneous and driven cusp dynamics: Optical aurora, particle precipitation, and plasma convection, *Planet. Space Sci.*, **51**, 797–812, [10.1016/S0032-0633\(03\)00114-4](https://doi.org/10.1016/S0032-0633(03)00114-4).
- [161] Sastri, J. H., Y. Kamide, and K. Yumoto (2003), Signatures for magnetospheric substorms in the geomagnetic field of dayside equatorial region: Origin of the ionospheric component, *J. Geophys. Res.*, **108**, 1375, [10.1029/2003JA009962](https://doi.org/10.1029/2003JA009962).
- [162] Saul, L., E. Möbius, Y. Litvinenko, P. Isenberg, H. Kucharek, M. Lee, H. Grünwaldt, F. Ipavich, B. Klecker, and P. Bochsler (2003), SOHO CTOF Observations of Interstellar He<sup>+</sup> Pickup Ion Enhancements in Solar Wind Compression Regions, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 778–781, [10.1063/1.1618708](https://doi.org/10.1063/1.1618708).
- [163] Sergeev, V., A. Runov, W. Baumjohann, R. Nakamura, T. L. Zhang, M. Volwerk, A. Balogh, H. Rème, J. A. Sauvaud, M. André, and B. Klecker (2003), Current sheet flapping motion and structure observed by Cluster, *Geophys. Res. Lett.*, **30**, 1327, [10.1029/2002GL016500](https://doi.org/10.1029/2002GL016500).
- [164] Shanmugaraju, A., Y.-J. Moon, M. Dryer, and S. Umopathy (2003), An Investigation of Solar Maximum Metric Type ii Radio Bursts: do two Kinds of Coronal Shock Sources Exist?, *Solar Phys.*, **215**, 161–184.
- [165] Sheldon, R., J. Chen, and T. A. Fritz (2003), Comment on “Origins of energetic ions in the cusp” by K. J. Trattner et al., *J. Geophys. Res.*, **108**, 1302, [10.1029/2002JA009575](https://doi.org/10.1029/2002JA009575).
- [166] Shevyrev, N. N., G. N. Zastenker, M. N. Nozdrachev, Z. Němeček, J. Šafránková, and J. D. Richardson (2003), High and low frequency large amplitude variations of plasma and magnetic field in the magnetosheath: Radial profile and some features, *Adv. Space Res.*, **31**, 1389–1394, [10.1016/S0273-1177\(03\)00008-5](https://doi.org/10.1016/S0273-1177(03)00008-5).
- [167] Simnett, G. M. (2003), Energetic Particles and Coronal Mass Ejections: a Case Study From ace and Ulysses, *Solar Phys.*, **213**, 387–412.
- [168] Simnett, G. M. (2003), A new concept for solar flares, in *Solar Variability as an Input to the Earth’s Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 613–618.
- [169] Simnett, G. M. (2003), Solar and interplanetary particle acceleration, *Adv. Space Res.*, **31**, 883–893, [10.1016/S0273-1177\(02\)00887-6](https://doi.org/10.1016/S0273-1177(02)00887-6).
- [170] Simnett, G. M., and E. C. Roelof (2003), CME-driven Coronal Shock Acceleration Of Energetic Electrons, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 597–603, [10.1063/1.1618666](https://doi.org/10.1063/1.1618666).

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [171] Smith, C. W. (2003), Magnetic helicity in the solar wind, *Adv. Space Res.*, **32**, 1971–1980, [10.1016/S0273-1177\(03\)90635-1](https://doi.org/10.1016/S0273-1177(03)90635-1).
- [172] Smith, D. M. (2003), The Reuven Ramaty High Energy Solar Spectroscopic Imager Observation of the 1809 keV Line from Galactic  $^{26}\text{Al}$ , *Astrophys. J.*, **589**, L55–L58, [10.1086/375795](https://doi.org/10.1086/375795).
- [173] Tang, Y. H., and Y. Dai (2003), Origin of coronal and interplanetary shock and particle acceleration of a flare/CME event, *Adv. Space Res.*, **32**, 2609–2612, [10.1016/j.asr.2003.03.017](https://doi.org/10.1016/j.asr.2003.03.017).
- [174] Torsti, J., L. Kocharov, J. Laivola, I. Chertok, and B. J. Thompson (2003), High-Energy  $^3\text{He}$ -Rich Solar Particle Events, *Solar Phys.*, **214**, 177–193.
- [175] Trattner, K. J., S. A. Fuselier, W. K. Peterson, S.-W. Chang, R. Friedel, and M. R. Aellig (2003), Reply to comment on “Origins of energetic ions in the cusp” by R. Sheldon, J. Chen, and T. A. Fritz, *J. Geophys. Res.*, **108**, 1303, [10.1029/2002JA009781](https://doi.org/10.1029/2002JA009781).
- [176] Trattner, K. J., S. A. Fuselier, T. K. Yeoman, A. Korth, M. Fraenz, C. Mouikis, H. Kucharek, L. M. Kistler, C. P. Escoubet, H. R’ Eme, I. Dandouras, J. A. Sauvaud, J. M. Bosqued, B. Klecker, C. Carlson, T. Phan, J. P. McFadden, E. Amata, and L. Eliasson (2003), Cusp structures: combining multi-spacecraft observations with ground-based observations, *Ann. Geophys.*, **21**, 2031–2041, [10.5194/angeo-21-2031-2003](https://doi.org/10.5194/angeo-21-2031-2003).
- [177] Trotter, G. (2003), Coronal signatures of accelerated electrons, *Adv. Space Res.*, **32**, 2403–2413, [10.1016/j.asr.2003.02.004](https://doi.org/10.1016/j.asr.2003.02.004).
- [178] Tsurutani, B. T., and X.-Y. Zhou (2003), Interplanetary shock triggering of substorms: WIND and Polar, *Adv. Space Res.*, **31**, 1063–1067, [10.1016/S0273-1177\(02\)00796-2](https://doi.org/10.1016/S0273-1177(02)00796-2).
- [179] Tsyganenko, N. A., and T. Mukai (2003), Tail plasma sheet models derived from Geotail particle data, *J. Geophys. Res.*, **108**, 1136, [10.1029/2002JA009707](https://doi.org/10.1029/2002JA009707).
- [180] Tylka, A. J., C. M. S. Cohen, W. F. Dietrich, S. Krucker, R. E. McGuire, R. A. Mewaldt, C. K. Ng, D. V. Reames, and G. H. Share (2003), Onsets and Release Times in Solar Particle Events, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 3305–+.
- [181] Vandas, M., S. Watari, and E. P. Romashets (2003), Fields around magnetic clouds: comparison between theoretical solutions and measurements, in *Solar Variability as an Input to the Earth’s Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 587–590.
- [182] Villante, U., P. Di Giuseppe, and P. Francia (2003), On the correspondence between interplanetary, magnetospheric and geomagnetic fluctuations at selected frequencies., *Mem. Soc. Astron. Ital.*, **74**, 753–+.

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [183] Vilmer, N., M. Pick, R. Schwenn, P. Ballatore, and J. P. Villain (2003), On the solar origin of interplanetary disturbances observed in the vicinity of the Earth, *Ann. Geophys.*, **21**, 847–862, [10.5194/angeo-21-847-2003](https://doi.org/10.5194/angeo-21-847-2003).
- [184] Vilmer, N., S. Krucker, G. Trottet, and R. P. Lin (2003), Hard X-ray and metric/decimetric spatially resolved observations of the 10 April 2002 solar flare, *Adv. Space Res.*, **32**, 2509–2515, [10.1016/j.asr.2003.04.005](https://doi.org/10.1016/j.asr.2003.04.005).
- [185] Voronkov, I. O., E. F. Donovan, and J. C. Samson (2003), Observations of the phases of the substorm, *J. Geophys. Res.*, **108**, 1073, [10.1029/2002JA009314](https://doi.org/10.1029/2002JA009314).
- [186] Vršnak, B., A. Warmuth, D. Maričić, W. Otruba, and V. Ruždjak (2003), Interaction of an Erupting Filament with the Ambient Magnetoplasma and Escape of Electron Beams, *Solar Phys.*, **217**, 187–198.
- [187] Wang, Y., C. L. Shen, S. Wang, and P. Z. Ye (2003), An empirical formula relating the geomagnetic storm’s intensity to the interplanetary parameters:  $-V\bar{B}_z$  and  $\Delta t$ , *Geophys. Res. Lett.*, **30**, 2039, [10.1029/2003GL017901](https://doi.org/10.1029/2003GL017901).
- [188] Wang, Y. L., J. Raeder, C. T. Russell, T. D. Phan, and M. Manapat (2003), Plasma depletion layer: Event studies with a global model, *J. Geophys. Res.*, **108**, 1010, [10.1029/2002JA009281](https://doi.org/10.1029/2002JA009281).
- [189] Wang, Y. M., P. Z. Ye, S. Wang, and X. H. Xue (2003), An interplanetary cause of large geomagnetic storms: Fast forward shock overtaking preceding magnetic cloud, *Geophys. Res. Lett.*, **30**, 1700, [10.1029/2002GL016861](https://doi.org/10.1029/2002GL016861).
- [190] Wang, Y. M., P. Z. Ye, S. Wang, and M. Xiong (2003), Theoretical analysis on the geoeffectiveness of a shock overtaking a preceding magnetic cloud, *Solar Phys.*, **216**, 295–310, [10.1023/A:1026150630940](https://doi.org/10.1023/A:1026150630940).
- [191] Weidenspointner, G., J. Kiener, M. Gros, P. Jean, B. J. Teegarden, C. Wunderer, R. C. Reedy, D. Attié, R. Diehl, C. Ferguson, M. J. Harris, J. Knödlseher, P. Leleux, V. Lonjou, J.-P. Roques, V. Schönfelder, C. Shrader, S. Sturmer, V. Tatischeff, and G. Vedrenne (2003), First identification and modelling of SPI background lines, *Astron. & Astrophys.*, **411**, L113–L116, [10.1051/0004-6361:20031209](https://doi.org/10.1051/0004-6361:20031209).
- [192] Weimer, D. R., D. M. Ober, N. C. Maynard, M. R. Collier, D. J. McComas, N. F. Ness, C. W. Smith, and J. Watermann (2003), Predicting interplanetary magnetic field (IMF) propagation delay times using the minimum variance technique, *J. Geophys. Res.*, **108**, 1026, [10.1029/2002JA009405](https://doi.org/10.1029/2002JA009405).
- [193] Wild, J. (2003), Meeting report: Autumn MIST, *Astron. Geophys.*, **44**, 010,000–1, [10.1046/j.1468-4004.2003.44130.x](https://doi.org/10.1046/j.1468-4004.2003.44130.x).
- [194] Wu, C.-C., R. P. Lepping, and N. Gopalswamy (2003), Variations of magnetic clouds and CMEs with solar activity cycle, in *Solar Variability as an Input to the Earth’s Environment*, *ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 429–432.

**List of Refereed Publications**  
**Wind Spacecraft: 2003**

- [195] Wu, D. J., and C. Fang (2003), Coronal Plume Heating and Kinetic Dissipation of Kinetic Alfvén Waves, *Astrophys. J.*, **596**, 656–662, [10.1086/377599](https://doi.org/10.1086/377599).
- [196] Xia, L., and E. Marsch (2003), Equatorial Coronal Holes and Their Relation to High-Speed Solar Wind Streams, in *Solar Wind Ten, American Institute of Physics Conference Series*, vol. 679, edited by M. Velli, R. Bruno, F. Malara, & B. Bucci, pp. 319–322, [10.1063/1.1618603](https://doi.org/10.1063/1.1618603).
- [197] Yermolaev, Y. I., and M. Y. Yermolaev (2003), Statistical Relationships between Solar, Interplanetary, and Geomagnetic Disturbances, 1976-2000: 2, *Cosmic Res.*, **41**, 105–109.
- [198] Youssef, M., M. S. El-Nawawy, and M. S. Youssef (2003), The Earth’s magnetosphere during the solar wind disappearance, in *Solar Variability as an Input to the Earth’s Environment, ESA Special Publication*, vol. 535, edited by A. Wilson, pp. 771–774.
- [199] Zhang, J., K. P. Dere, R. A. Howard, and V. Bothmer (2003), Identification of Solar Sources of Major Geomagnetic Storms between 1996 and 2000, *Astrophys. J.*, **582**, 520–533, [10.1086/344611](https://doi.org/10.1086/344611).
- [200] Zhang, Y., D. J. McEwen, and L. L. Cogger (2003), Interplanetary magnetic field control of polar patch velocity, *J. Geophys. Res.*, **108**, 1214, [10.1029/2002JA009742](https://doi.org/10.1029/2002JA009742).
- [201] Zhang, Y., L. J. Paxton, T. J. Immel, H. U. Frey, and S. B. Mende (2003), Sudden solar wind dynamic pressure enhancements and dayside detached auroras: IMAGE and DMSP observations, *J. Geophys. Res.*, **108**, 8001.
- [202] Zhou, X.-Y., B. T. Tsurutani, G. Reeves, G. Rostoker, W. Sun, J. M. Ruohoniemi, Y. Kamide, A. T. Y. Lui, G. K. Parks, W. D. Gonzalez, and J. K. Arballo (2003), Ring current intensification and convection-driven negative bays: Multisatellite studies, *J. Geophys. Res.*, **108**, 1407, [10.1029/2003JA009881](https://doi.org/10.1029/2003JA009881).
- [203] Zhukov, A., I. Veselovsky, V. Bothmer, A. Dmitriev, F. Clette, E. Romashets, and P. Cargill (2003), Solar wind disturbances and their sources in the EUV solar corona, in *EGS - AGU - EUG Joint Assembly*, pp. 2682–+.