

List of Refereed Publications
Wind Spacecraft: 2007

References

- [1] Aleshin, I. M., G. N. Zastenker, M. O. Riazantseva, and O. O. Trubachev (2007), Possible role of electrostatic potential in formation of sharp boundaries of small-scale and middle-scale solar wind structures, *Cosmic Res.*, **45**, 181–185, [10.1134/S001095250703001X](https://doi.org/10.1134/S001095250703001X).
- [2] Andréeová, K., and L. Přech (2007), Propagation of interplanetary shocks into the Earth's magnetosphere, *Adv. Space Res.*, **40**, 1871–1880, [10.1016/j.asr.2007.04.079](https://doi.org/10.1016/j.asr.2007.04.079).
- [3] Asgarov, A. B., and V. N. Obrikko (2007), Asymmetry in the Inward-Outward Polarity in the Interplanetary Magnetic Field, *Sun and Geosphere*, **2**, 29–32.
- [4] Bastian, T. S. (2007), Synchrotron Radiation From A Fast Halo CME, in *American Astronomical Society Meeting Abstracts #210*, *Bull. Amer. Astron. Soc.*, vol. 38, pp. 141–+.
- [5] Bastian, T. S. (2007), Synchrotron Radio Emission from a Fast Halo Coronal Mass Ejection, *Astrophys. J.*, **665**, 805–812, [10.1086/519246](https://doi.org/10.1086/519246).
- [6] Bastian, T. S. (2007), Radio emission from the Sun, planets, and the interplanetary medium, *Highlights Astron.*, **14**, 362–364, [10.1017/S174392130701099X](https://doi.org/10.1017/S174392130701099X).
- [7] Belenkaya, E. S., I. I. Alexeev, and C. R. Clauer, Jr. (2007), Magnetic field of the transition current system: dawn-dusk asymmetry, *Ann. Geophys.*, **25**, 1899–1911, [10.5194/angeo-25-1899-2007](https://doi.org/10.5194/angeo-25-1899-2007).
- [8] Bochsler, P. (2007), Minor ions in the solar wind, *Astron. & Astrophys. Rev.*, **14**, 1–40, [10.1007/s00159-006-0002-x](https://doi.org/10.1007/s00159-006-0002-x).
- [9] Boggs, S. E., A. Zoglauer, E. Bellm, K. Hurley, R. P. Lin, D. M. Smith, C. Wigger, and W. Hajdas (2007), The Giant Flare of 2004 December 27 from SGR 1806-20, *Astrophys. J.*, **661**, 458–467, [10.1086/516732](https://doi.org/10.1086/516732).
- [10] Bombardieri, D. J., K. J. Michael, M. L. Duldig, and J. E. Humble (2007), Relativistic Proton Production during the 2001 April 15 Solar Event, *Astrophys. J.*, **665**, 813–823, [10.1086/519514](https://doi.org/10.1086/519514).
- [11] Bruno, R., V. Carbone, S. Chapman, B. Hnat, A. Noullez, and L. Sorriso-Valvo (2007), Intermittent character of interplanetary magnetic field fluctuations, *Phys. Plasmas*, **14**, 032,901–+, [10.1063/1.2711429](https://doi.org/10.1063/1.2711429).
- [12] Bruno, R., R. D'Amicis, B. Bavassano, V. Carbone, and L. Sorriso-Valvo (2007), Magnetically dominated structures as an important component of the solar wind turbulence, *Ann. Geophys.*, **25**, 1913–1927, [10.5194/angeo-25-1913-2007](https://doi.org/10.5194/angeo-25-1913-2007).
- [13] Burrows, D. N., A. Falcone, G. Chincarini, D. Morris, P. Romano, J. E. Hill, O. Godet, A. Moretti, H. Krimm, J. P. Osborne, J. Racusin, V. Mangano, K. Page, M. Perri, M. Stroh, and Swift XRT Team (2007), X-ray flares in early GRB afterglows, *Phil. Trans. R. Soc. A*, **365**, 1213–1226, [10.1098/rsta.2006.1970](https://doi.org/10.1098/rsta.2006.1970).

List of Refereed Publications
Wind Spacecraft: 2007

- [14] Campana, S., C. Guidorzi, G. Tagliaferri, G. Chincarini, A. Moretti, D. Rizzuto, and P. Romano (2007), Are Swift gamma-ray bursts consistent with the Ghirlanda relation?, *Astron. & Astrophys.*, **472**, 395–401, [10.1051/0004-6361:20066984](https://doi.org/10.1051/0004-6361:20066984).
- [15] Charles, C. (2007), TOPICAL REVIEW: A review of recent laboratory double layer experiments, *Plasma Sources Sci. Tech.*, **16**, 1–+, [10.1088/0963-0252/16/4/R01](https://doi.org/10.1088/0963-0252/16/4/R01).
- [16] Chernov, G. P., M. L. Kaiser, J.-L. Bougeret, V. V. Fomichev, and R. V. Gorgutsa (2007), Fine Structure of Solar Radio Bursts Observed at Decametric and Hectometric Waves, *Solar Phys.*, **241**, 145–169, [10.1007/s11207-007-0258-y](https://doi.org/10.1007/s11207-007-0258-y).
- [17] Chernov, G. P., A. A. Stanislavsky, A. A. Konovalenko, E. P. Abranin, V. V. Dorovsky, and G. O. Rucker (2007), Fine structure of decametric type II radio bursts, *Astron. Lett.*, **33**, 192–202, [10.1134/S1063773707030061](https://doi.org/10.1134/S1063773707030061).
- [18] Chollet, E. E., J. Giacalone, J. E. Mazur, and M. Al Dayeh (2007), A New Phenomenon in Impulsive-Flare-Associated Energetic Particles, *Astrophys. J.*, **669**, 615–620, [10.1086/521670](https://doi.org/10.1086/521670).
- [19] Cliver, E. W., and A. G. Ling (2007), Electrons and Protons in Solar Energetic Particle Events, *Astrophys. J.*, **658**, 1349–1356, [10.1086/511737](https://doi.org/10.1086/511737).
- [20] Collado Vega, Y. M. (2007), MHD flow visualization of magnetopause boundary region vortices observed during high speed streams, Master's thesis, University of Puerto Rico, Mayaguez (Puerto Rico).
- [21] Collado-Vega, Y. M., R. L. Kessel, X. Shao, and R. A. Boller (2007), MHD flow visualization of magnetopause boundary region vortices observed during high-speed streams, *J. Geophys. Res.*, **112**, A06,213, [10.1029/2006JA012104](https://doi.org/10.1029/2006JA012104).
- [22] Collier, M. R., R. P. Lepping, and D. B. Berdichevsky (2007), A statistical study of interplanetary shocks and pressure pulses internal to magnetic clouds, *J. Geophys. Res.*, **112**, A06,102, [10.1029/2006JA011714](https://doi.org/10.1029/2006JA011714).
- [23] Cremades, H., O. C. St. Cyr, and M. L. Kaiser (2007), A tool to improve space weather forecasts: Kilometric radio emissions from Wind/WAVES, *Space Weather*, **50**, S08,001, [10.1029/2007SW000314](https://doi.org/10.1029/2007SW000314).
- [24] Culhane, J. L., and G. L. Siscoe (2007), The Sun - Earth Workshop: A Summary of the Outcome, *Solar Phys.*, **244**, 3–12, [10.1007/s11207-007-9037-z](https://doi.org/10.1007/s11207-007-9037-z).
- [25] Culhane, J. L., S. Pohjolainen, L. van Driel-Gesztelyi, P. K. Manoharan, and H. A. Elliott (2007), Study of CME transit speeds for the event of 07-NOV-2004, *Adv. Space Res.*, **40**, 1807–1814, [10.1016/j.asr.2007.01.005](https://doi.org/10.1016/j.asr.2007.01.005).
- [26] Daglis, I. A., B. T. Tsurutani, W. D. Gonzalez, J. U. Kozyra, S. Orsini, J. Cladis, Y. Kamide, M. G. Henderson, and D. Vassiliadis (2007), Key features of intense geospace storms—A comparative study of a solar maximum and a solar minimum storm, *Planet. Space Sci.*, **55**, 32–52, [10.1016/j.pss.2006.04.007](https://doi.org/10.1016/j.pss.2006.04.007).

List of Refereed Publications
Wind Spacecraft: 2007

- [27] D'Amicis, R., R. Bruno, and B. Bavassano (2007), Is geomagnetic activity driven by solar wind turbulence?, *Geophys. Res. Lett.*, **340**, L05,108, [10.1029/2006GL028896](https://doi.org/10.1029/2006GL028896).
- [28] Dasso, S., M. S. Nakwacki, P. Démoulin, and C. H. Mandrini (2007), Progressive Transformation of a Flux Rope to an ICME. Comparative Analysis Using the Direct and Fitted Expansion Methods, *Solar Phys.*, **244**, 115–137, [10.1007/s11207-007-9034-2](https://doi.org/10.1007/s11207-007-9034-2).
- [29] Démoulin, P., K.-L. Klein, C. P. Goff, L. van Driel-Gesztelyi, J. L. Culhane, C. H. Mandrini, S. A. Matthews, and L. K. Harra (2007), Decametric N Burst: A Consequence of the Interaction of Two Coronal Mass Ejections, *Solar Phys.*, **240**, 301–313, [10.1007/s11207-006-0259-2](https://doi.org/10.1007/s11207-006-0259-2).
- [30] Dennis, B. R., H. S. Hudson, and S. Krucker (2007), Review of Selected RHESSI Solar Results, in *Lecture Notes in Physics, Berlin Springer Verlag, Lecture Notes in Physics, Berlin Springer Verlag*, vol. 725, edited by K.-L. Klein & A. L. MacKinnon, pp. 33–+.
- [31] Efimov, A. I., L. N. Samoznaev, V. K. Rudash, I. V. Chashei, M. K. Bird, and D. Plettemeier (2007), Observation of a coronal mass ejection in January 1997 using radio sounding of the near-solar plasma with the GALILEO spacecraft, *Astron. Rep.*, **51**, 687–694, [10.1134/S1063772907080069](https://doi.org/10.1134/S1063772907080069).
- [32] Efimov, A. I., L. N. Samoznaev, V. K. Rudash, I. V. Chashei, M. K. Bird, and D. Plettemeier (2007), Radio-sounding observations of a coronal mass ejection during the Galileo solar conjunction in January 1997, *Astron. & Astrophys. Trans.*, **26**, 455–465, [10.1080/10556790701595210](https://doi.org/10.1080/10556790701595210).
- [33] Elliott, H. A., J.-M. Jahn, C. J. Pollock, T. E. Moore, and J. L. Horwitz (2007), O⁺ transport across the polar cap, *J. Atmos. Solar-Terr. Phys.*, **69**, 1541–1555, [10.1016/j.jastp.2007.06.003](https://doi.org/10.1016/j.jastp.2007.06.003).
- [34] Eselevich, M., V. Eselevich, and K. Fujiki (2007), Streamer Belt and Chains as the Main Sources of Quasi-Stationary Slow Solar Wind, *Solar Phys.*, **240**, 135–151, [10.1007/s11207-006-0197-z](https://doi.org/10.1007/s11207-006-0197-z).
- [35] Fairfield, D. H., M. M. Kuznetsova, T. Mukai, T. Nagai, T. I. Gombosi, and A. J. Ridley (2007), Waves on the dusk flank boundary layer during very northward interplanetary magnetic field conditions: Observations and simulation, *J. Geophys. Res.*, **112**, A08,206, [10.1029/2006JA012052](https://doi.org/10.1029/2006JA012052).
- [36] Farrugia, C. J., A. Grocott, P. E. Sandholt, S. W. H. Cowley, Y. Miyoshi, F. J. Rich, V. K. Jordanova, R. B. Torbert, and A. Sharma (2007), The magnetosphere under weak solar wind forcing, *Ann. Geophys.*, **25**, 191–205, [10.5194/angeo-25-191-2007](https://doi.org/10.5194/angeo-25-191-2007).
- [37] Feng, H. Q., D. J. Wu, and J. K. Chao (2007), Size and energy distributions of interplanetary magnetic flux ropes, *J. Geophys. Res.*, **112**, A02,102, [10.1029/2006JA011962](https://doi.org/10.1029/2006JA011962).
- [38] Feng, H. Q., C. C. Lin, J. K. Chao, D. J. Wu, L. H. Lyu, and L.-C. Lee (2007), From Rankine-Hugoniot relation fitting procedure: Tangential discontinuity or intermediate/slow shock?, *J. Geophys. Res.*, **112**, A10,104, [10.1029/2007JA012311](https://doi.org/10.1029/2007JA012311).

List of Refereed Publications
Wind Spacecraft: 2007

- [39] Foulon, C., C. J. Owen, S. Dasso, L. M. Green, I. Dandouras, H. A. Elliott, A. N. Fazakerley, Y. V. Bogdanova, and N. U. Crooker (2007), Multi-Spacecraft Study of the 21 January 2005 ICME. Evidence of Current Sheet Substructure Near the Periphery of a Strongly Expanding, Fast Magnetic Cloud, *Solar Phys.*, **244**, 139–165, [10.1007/s11207-007-0355-y](https://doi.org/10.1007/s11207-007-0355-y).
- [40] Frederiks, D. D., S. V. Golenetskii, V. D. Palshin, R. L. Aptekar, V. N. Ilyinskii, F. P. Oleinik, E. P. Mazets, and T. L. Cline (2007), Giant flare in SGR 1806-20 and its Compton reflection from the Moon, *Astron. Lett.*, **33**, 1–18, [10.1134/S106377370701001X](https://doi.org/10.1134/S106377370701001X).
- [41] Frederiks, D. D., V. D. Palshin, R. L. Aptekar, S. V. Golenetskii, T. L. Cline, and E. P. Mazets (2007), On the possibility of identifying the short hard burst GRB 051103 with a giant flare from a soft gamma repeater in the M81 group of galaxies, *Astron. Lett.*, **33**, 19–24, [10.1134/S1063773707010021](https://doi.org/10.1134/S1063773707010021).
- [42] Fujiwara, H., R. Kataoka, M. Suzuki, S. Maeda, S. Nozawa, K. Hosokawa, H. Fukunishi, N. Sato, and M. Lester (2007), Electromagnetic energy deposition rate in the polar upper thermosphere derived from the EISCAT Svalbard radar and CUTLASS Finland radar observations, *Ann. Geophys.*, **25**, 2393–2403, [10.5194/angeo-25-2393-2007](https://doi.org/10.5194/angeo-25-2393-2007).
- [43] Glassmeier, K.-H., I. Richter, A. Diedrich, G. Musmann, U. Auster, U. Motschmann, A. Balogh, C. Carr, E. Cupido, A. Coates, M. Rother, K. Schwingenschuh, K. Szegö, and B. Tsurutani (2007), RPC-MAG The Fluxgate Magnetometer in the ROSETTA Plasma Consortium, *Space Sci. Rev.*, **128**, 649–670, [10.1007/s11214-006-9114-x](https://doi.org/10.1007/s11214-006-9114-x).
- [44] Goldman, M. V., D. L. Newman, and A. Mangeney (2007), Theory of Weak Bipolar Fields and Electron Holes with Applications to Space Plasmas, *Phys. Rev. Lett.*, **99**, 145,002–+, [10.1103/PhysRevLett.99.145002](https://doi.org/10.1103/PhysRevLett.99.145002).
- [45] Golenetskii, S., R. Aptekar, E. Mazets, V. Pal'Shin, D. Frederiks, and T. Cline (2007), Konus-wind and konus-a observations of GRB 070220., *GRB Coordinates Network*, **6124**, 1–+.
- [46] Golenetskii, S., R. Aptekar, E. Mazets, V. Pal'Shin, D. Frederiks, and T. Cline (2007), Konus-wind and konus-a observations of GRB 070402., *GRB Coordinates Network*, **6243**, 1–+.
- [47] Golenetskii, S., R. Aptekar, E. Mazets, V. Pal'Shin, D. Frederiks, P. Oleynik, M. Ulanov, and T. Cline (2007), Konus-wind and konus-a observation of GRB 070508., *GRB Coordinates Network*, **6403**, 1–+.
- [48] Golenetskii, S., R. Aptekar, E. Mazets, V. Pal'Shin, D. Frederiks, P. Oleynik, M. Ulanov, and T. Cline (2007), Konus-wind and konus-a observations of GRB 071117., *GRB Coordinates Network*, **7114**, 1–+.
- [49] Golenetskii, S., R. Aptekar, E. Mazets, V. Pal'Shin, D. Frederiks, P. Oleynik, M. Ulanov, and T. Cline (2007), Konus-wind and konus-a observations of GRB 071125., *GRB Coordinates Network*, **7137**, 1–+.

List of Refereed Publications
Wind Spacecraft: 2007

- [50] Gopalswamy, N., S. Yashiro, and S. Akiyama (2007), Geoeffectiveness of halo coronal mass ejections, *J. Geophys. Res.*, **112**, A06,112, [10.1029/2006JA012149](https://doi.org/10.1029/2006JA012149).
- [51] Gosling, J. T. (2007), Observations of Magnetic Reconnection in the Turbulent High-Speed Solar Wind, *Astrophys. J.*, **671**, L73–L76, [10.1086/524842](https://doi.org/10.1086/524842).
- [52] Gosling, J. T., S. Eriksson, T. D. Phan, D. E. Larson, R. M. Skoug, and D. J. McComas (2007), Direct evidence for prolonged magnetic reconnection at a continuous x-line within the heliospheric current sheet, *Geophys. Res. Lett.*, **340**, L06102, [10.1029/2006GL029033](https://doi.org/10.1029/2006GL029033).
- [53] Gosling, J. T., T. D. Phan, R. P. Lin, and A. Szabo (2007), Prevalence of magnetic reconnection at small field shear angles in the solar wind, *Geophys. Res. Lett.*, **341**, L15110, [10.1029/2007GL030706](https://doi.org/10.1029/2007GL030706).
- [54] Gosling, J. T., S. Eriksson, D. J. McComas, T. D. Phan, and R. M. Skoug (2007), Multiple magnetic reconnection sites associated with a coronal mass ejection in the solar wind, *J. Geophys. Res.*, **112**, A08,106, [10.1029/2007JA012418](https://doi.org/10.1029/2007JA012418).
- [55] Gosling, J. T., S. Eriksson, L. M. Blush, T. D. Phan, J. G. Luhmann, D. J. McComas, R. M. Skoug, M. H. Acuna, C. T. Russell, and K. D. Simunac (2007), Five spacecraft observations of oppositely directed exhaust jets from a magnetic reconnection X-line extending $>4.26 \times 10^6$ km in the solar wind at 1 AU, *Geophys. Res. Lett.*, **342**, L20,108, [10.1029/2007GL031492](https://doi.org/10.1029/2007GL031492).
- [56] Hnat, B., S. C. Chapman, K. Kiyani, G. Rowlands, and N. W. Watkins (2007), On the fractal nature of the magnetic field energy density in the solar wind, *Geophys. Res. Lett.*, **341**, L15,108, [10.1029/2007GL029531](https://doi.org/10.1029/2007GL029531).
- [57] Horvath, I. (2007), Impact of 10 January 1997 geomagnetic storm on the nighttime Weddell Sea Anomaly: A study utilizing data provided by the TOPEX/Poseidon mission and the Defense Meteorological Satellite Program, and simulations generated by the Coupled Thermosphere/Ionosphere Plasmasphere model, *J. Geophys. Res.*, **112**, A06,329, [10.1029/2006JA012153](https://doi.org/10.1029/2006JA012153).
- [58] Hudson, H., and N. Vilmer (2007), Small Scale Energy Release and the Acceleration and Transport of Energetic Particles, in *Lecture Notes in Physics, Berlin Springer Verlag, Lecture Notes in Physics, Berlin Springer Verlag*, vol. 725, edited by K.-L. Klein & A. L. MacKinnon, pp. 81–+.
- [59] Huttunen, K. E. J., S. D. Bale, T. D. Phan, M. Davis, and J. T. Gosling (2007), Wind/WAVES observations of high-frequency plasma waves in solar wind reconnection exhausts, *J. Geophys. Res.*, **112**, 1102–+.
- [60] Inan, U. S., N. G. Lehtinen, R. C. Moore, K. Hurley, S. Boggs, D. M. Smith, and G. J. Fishman (2007), Massive disturbance of the daytime lower ionosphere by the giant γ -ray flare from magnetar SGR 1806-20, *Geophys. Res. Lett.*, **34**, L08103, [10.1029/2006GL029145](https://doi.org/10.1029/2006GL029145).

List of Refereed Publications
Wind Spacecraft: 2007

- [61] José, J., and M. Hernanz (2007), TOPICAL REVIEW: Nucleosynthesis in classical nova explosions, *J. Phys. G Nucl. Phys.*, **34**, 431–+, [10.1088/0954-3899/34/12/R01](https://doi.org/10.1088/0954-3899/34/12/R01).
- [62] Joshi, B., P. K. Manoharan, A. M. Veronig, P. Pant, and K. Pandey (2007), Multi-Wavelength Signatures of Magnetic Reconnection of a Flare-Associated Coronal Mass Ejection, *Solar Phys.*, **242**, 143–158, [10.1007/s11207-007-0275-x](https://doi.org/10.1007/s11207-007-0275-x).
- [63] Kahler, S. W. (2007), Solar Sources of Heliospheric Energetic Electron Events-Shocks or Flares?, *Space Sci. Rev.*, **129**, 359–390, [10.1007/s11214-007-9143-0](https://doi.org/10.1007/s11214-007-9143-0).
- [64] Kahler, S. W., H. Aurass, G. Mann, and A. Klassen (2007), Solar Radio Burst and Solar Wind Associations with Inferred Near-Relativistic Electron Injections, *Astrophys. J.*, **656**, 567–576, [10.1086/510230](https://doi.org/10.1086/510230).
- [65] Kane, R. P. (2007), Solar terrestrial effects of two distinct types, *Adv. Space Res.*, **39**, 1890–1897, [10.1016/j.asr.2007.02.006](https://doi.org/10.1016/j.asr.2007.02.006).
- [66] Kartavykh, Y. Y., W. Dröge, B. Klecker, G. M. Mason, E. Möbius, M. Popecki, and S. Krucker (2007), Evidence of a Two-Temperature Source Region in the ^3He -Rich Solar Energetic Particle Event of 2000 May 1, *Astrophys. J.*, **671**, 947–954, [10.1086/522687](https://doi.org/10.1086/522687).
- [67] Kasper, J. C., M. L. Stevens, A. J. Lazarus, J. T. Steinberg, and K. W. Ogilvie (2007), Solar Wind Helium Abundance as a Function of Speed and Heliographic Latitude: Variation through a Solar Cycle, *Astrophys. J.*, **660**, 901–910, [10.1086/510842](https://doi.org/10.1086/510842).
- [68] Khazanov, G. V., K. V. Gamayunov, D. L. Gallagher, and J. F. Spann (2007), Strong pitch-angle diffusion of ring current ions in geomagnetic storm-associated conditions, *J. Atmos. Solar-Terr. Phys.*, **69**, 142–150, [10.1016/j.jastp.2006.07.010](https://doi.org/10.1016/j.jastp.2006.07.010).
- [69] Kim, K.-H., Y.-J. Moon, and K.-S. Cho (2007), Prediction of the 1-AU arrival times of CME-associated interplanetary shocks: Evaluation of an empirical interplanetary shock propagation model, *J. Geophys. Res.*, **112**, A05,104, [10.1029/2006JA011904](https://doi.org/10.1029/2006JA011904).
- [70] Kocharov, L., O. Saloniemi, J. Torsti, G. Kovaltsov, and E. Riihonen (2007), Scanning an Interplanetary Magnetic Cloud Using High-Energy Protons, *Astrophys. J.*, **654**, 1121–1127, [10.1086/509797](https://doi.org/10.1086/509797).
- [71] Konovalenko, A. A., A. A. Stanislavsky, E. P. Abranin, V. V. Dorovsky, V. N. Mel'Nik, M. L. Kaiser, A. Lecacheux, and H. O. Rucker (2007), Absorption in Burst Emission, *Solar Phys.*, **245**, 345–354, [10.1007/s11207-007-9049-8](https://doi.org/10.1007/s11207-007-9049-8).
- [72] Kozelov, B. V., and K. Rypdal (2007), Spatial scaling of optical fluctuations during substorm-time aurora, *Ann. Geophys.*, **25**, 915–927, [10.5194/angeo-25-915-2007](https://doi.org/10.5194/angeo-25-915-2007).
- [73] Kozlovsky, A., M. Meurant, and T. Turunen (2007), Changes of dayside auroral distribution caused by a solar wind pressure pulse and associated interplanetary magnetic field disturbances, *Ann. Geophys.*, **25**, 929–940, [10.5194/angeo-25-929-2007](https://doi.org/10.5194/angeo-25-929-2007).

List of Refereed Publications
Wind Spacecraft: 2007

- [74] Kozyreva, O., V. Pilipenko, M. J. Engebretson, K. Yumoto, J. Watermann, and N. Romanova (2007), In search of a new ULF wave index: Comparison of Pc5 power with dynamics of geostationary relativistic electrons, *Planet. Space Sci.*, **55**, 755–769, [10.1016/j.pss.2006.03.013](https://doi.org/10.1016/j.pss.2006.03.013).
- [75] Krucker, S., E. P. Kontar, S. Christe, and R. P. Lin (2007), Solar Flare Electron Spectra at the Sun and near the Earth, *Astrophys. J.*, **663**, L109–L112, [10.1086/519373](https://doi.org/10.1086/519373).
- [76] Krucker, S., S. M. White, and R. P. Lin (2007), Solar Flare Hard X-Ray Emission from the High Corona, *Astrophys. J.*, **669**, L49–L52, [10.1086/523759](https://doi.org/10.1086/523759).
- [77] Leitner, M., C. J. Farrugia, C. Möstl, K. W. Ogilvie, A. B. Galvin, R. Schwenn, and H. K. Biernat (2007), Consequences of the force-free model of magnetic clouds for their heliospheric evolution, *J. Geophys. Res.*, **112**, 6113, [10.1029/2006JA011940](https://doi.org/10.1029/2006JA011940).
- [78] Lepping, R. P., T. W. Narock, and H. Chen (2007), Comparison of magnetic field observations of an average magnetic cloud with a simple force free model: the importance of field compression and expansion, *Ann. Geophys.*, **25**, 2641–2648.
- [79] Leske, R. A., R. A. Mewaldt, C. M. S. Cohen, A. C. Cummings, E. C. Stone, M. E. Wiedenbeck, and T. T. von Rosenvinge (2007), An Update on Ultra-Heavy Elements in Solar Energetic Particles above 10 MeV/Nucleon, *Space Sci. Rev.*, **130**, 335–340, [10.1007/s11214-007-9191-5](https://doi.org/10.1007/s11214-007-9191-5).
- [80] Lin, R. P. (2007), The solar system: a laboratory for the study of the physics of particle acceleration, *Highlights of Astronomy*, **14**, 83–85, [10.1017/S174392130700988X](https://doi.org/10.1017/S174392130700988X).
- [81] Longcope, D., C. Beveridge, J. Qiu, B. Ravindra, G. Barnes, and S. Dasso (2007), Modeling and Measuring the Flux Reconnected and Ejected by the Two-Ribbon Flare/CME Event on 7 November 2004, *Solar Phys.*, **244**, 45–73, [10.1007/s11207-007-0330-7](https://doi.org/10.1007/s11207-007-0330-7).
- [82] Lugaz, N., W. B. Manchester, IV, I. I. Roussev, G. Tóth, and T. I. Gombosi (2007), Numerical Investigation of the Homologous Coronal Mass Ejection Events from Active Region 9236, *Astrophys. J.*, **659**, 788–800, [10.1086/512005](https://doi.org/10.1086/512005).
- [83] Luhmann, J. G., S. A. Ledvina, D. Krauss-Varban, D. Odstrcil, and P. Riley (2007), A heliospheric simulation-based approach to SEP source and transport modeling, *Adv. Space Res.*, **40**, 295–303, [10.1016/j.asr.2007.03.089](https://doi.org/10.1016/j.asr.2007.03.089).
- [84] Mandrini, C. H., M. S. Nakwacki, G. Attrill, L. van Driel-Gesztelyi, P. Démoulin, S. Dasso, and H. Elliott (2007), Are CME-Related Dimmings Always a Simple Signature of Interplanetary Magnetic Cloud Footpoints?, *Solar Phys.*, **244**, 25–43, [10.1007/s11207-007-9020-8](https://doi.org/10.1007/s11207-007-9020-8).
- [85] Markevitch, M., and A. Vikhlinin (2007), Shocks and cold fronts in galaxy clusters, *Phys. Rep.*, **443**, 1–53, [10.1016/j.physrep.2007.01.001](https://doi.org/10.1016/j.physrep.2007.01.001).
- [86] Matthews, S. A., and J. L. Culhane (2007), Magnetic coupling of the Sun Earth system The view from STEREO, *Adv. Space Res.*, **39**, 1791–1803, [10.1016/j.asr.2007.02.043](https://doi.org/10.1016/j.asr.2007.02.043).

List of Refereed Publications
Wind Spacecraft: 2007

- [87] Mavromichalaki, H., E. Paouris, and T. Karalidi (2007), Cosmic-Ray Modulation: An Empirical Relation with Solar and Heliospheric Parameters, *Solar Phys.*, **245**, 369–390, [10.1007/s11207-007-9043-1](https://doi.org/10.1007/s11207-007-9043-1).
- [88] Merka, J., D. Merkova, and D. Odstrcil (2007), A step toward data assimilation in solar wind research, *J. Atmos. Solar-Terr. Phys.*, **69**, 170–178, [10.1016/j.jastp.2006.07.012](https://doi.org/10.1016/j.jastp.2006.07.012).
- [89] Michalek, G., N. Gopalswamy, and S. Yashiro (2007), Prediction of Space Weather Using an Asymmetric Cone Model for Halo CMEs, *Solar Phys.*, **246**, 399–408, [10.1007/s11207-007-9081-8](https://doi.org/10.1007/s11207-007-9081-8).
- [90] Michalek, G., N. Gopalswamy, and H. Xie (2007), Width of Radio-Loud and Radio-Quiet CMEs, *Solar Phys.*, **246**, 409–414, [10.1007/s11207-007-9062-y](https://doi.org/10.1007/s11207-007-9062-y).
- [91] Moore, T. E., and J. L. Horwitz (2007), Stellar ablation of planetary atmospheres, *Rev. Geophys.*, **45**, RG3002, [10.1029/2005RG000194](https://doi.org/10.1029/2005RG000194).
- [92] Morioka, A., Y. Miyoshi, S. Masuda, F. Tsuchiya, H. Misawa, H. Matsumoto, K. Hashimoto, and H. Oya (2007), Micro-Type III Radio Bursts, *Astrophys. J.*, **657**, 567–576, [10.1086/510507](https://doi.org/10.1086/510507).
- [93] Morley, S. K., M. P. Freeman, and E. I. Tanskanen (2007), A comparison of the probability distribution of observed substorm magnitude with that predicted by a minimal substorm model, *Ann. Geophys.*, **25**, 2427–2437, [10.5194/angeo-25-2427-2007](https://doi.org/10.5194/angeo-25-2427-2007).
- [94] Morris, D. C., J. Reeves, V. Pal'shin, M. Garczarczyk, A. D. Falcone, D. N. Burrows, H. Krimm, N. Galante, M. Gaug, S. Golenetskii, S. Mizobuchi, C. Pagani, A. Stamerra, M. Teshima, A. P. Beardmore, O. Godet, and N. Gehrels (2007), GRB 050713A: High-Energy Observations of the Gamma-Ray Burst Prompt and Afterglow Emission, *Astrophys. J.*, **654**, 413–428, [10.1086/509098](https://doi.org/10.1086/509098).
- [95] Narock, T. W., and R. P. Lepping (2007), Anisotropy of magnetic field fluctuations in an average interplanetary magnetic cloud at 1 AU, *J. Geophys. Res.*, **112**, A06,108, [10.1029/2006JA011987](https://doi.org/10.1029/2006JA011987).
- [96] Nikolaeva, N. S., V. A. Parkhomov, N. L. Borodkova, and Y. I. Yermolaev (2007), The magnetospheric boundary motion during the main phase of the moderate magnetic storm (case study), *Planet. Space Sci.*, **55**, 2299–2309, [10.1016/j.pss.2007.05.010](https://doi.org/10.1016/j.pss.2007.05.010).
- [97] Nunes, S. M. (2007), Influence of CME interaction on the intensities of type II radio bursts, Ph.D. thesis, The Catholic University of America.
- [98] Ofek, E. O. (2007), Soft Gamma-Ray Repeaters in Nearby Galaxies: Rate, Luminosity Function, and Fraction among Short Gamma-Ray Bursts, *Astrophys. J.*, **659**, 339–346, [10.1086/511147](https://doi.org/10.1086/511147).
- [99] Ogilvie, K. W., M. A. Coplan, D. A. Roberts, and F. Ipavich (2007), Solar wind structure suggested by bimodal correlations of solar wind speed and density between the spacecraft SOHO and Wind, *J. Geophys. Res.*, **112**, A08,104, [10.1029/2007JA012248](https://doi.org/10.1029/2007JA012248).

List of Refereed Publications
Wind Spacecraft: 2007

- [100] Oh, S. Y., Y. Yi, and Y. H. Kim (2007), Solar Cycle Variation of the Interplanetary Forward Shock Drivers Observed at 1 AU, *Solar Phys.*, **245**, 391–410, [10.1007/s11207-007-9042-2](https://doi.org/10.1007/s11207-007-9042-2).
- [101] Önel, H., G. Mann, and E. Sedlmayr (2007), Propagation of energetic electrons through the solar corona and the interplanetary medium, *Astron. & Astrophys.*, **463**, 1143–1152, [10.1051/0004-6361:20065237](https://doi.org/10.1051/0004-6361:20065237).
- [102] Owens, M. J., and N. U. Crooker (2007), Reconciling the electron counterstreaming and dropout occurrence rates with the heliospheric flux budget, *J. Geophys. Res.*, **112**, A06106, [10.1029/2006JA012159](https://doi.org/10.1029/2006JA012159).
- [103] Page, K. L., R. Willingale, J. P. Osborne, B. Zhang, O. Godet, F. E. Marshall, A. Melandri, J. P. Norris, P. T. O'Brien, V. Pal'shin, E. Rol, P. Romano, R. L. C. Starling, P. Schady, S. A. Yost, S. D. Barthelmy, A. P. Beardmore, G. Cusumano, D. N. Burrows, M. De Pasquale, M. Ehle, P. A. Evans, N. Gehrels, M. R. Goad, S. Golenetskii, C. Guidorzi, C. Mundell, M. J. Page, G. Ricker, T. Sakamoto, B. E. Schaefer, M. Stamatikos, E. Troja, M. Ulanov, F. Yuan, and H. Ziaeepour (2007), GRB 061121: Broadband Spectral Evolution through the Prompt and Afterglow Phases of a Bright Burst, *Astrophys. J.*, **663**, 1125–1138, [10.1086/518821](https://doi.org/10.1086/518821).
- [104] Parkinson, M. L., R. C. Healey, and P. L. Dyson (2007), Solar cycle changes in the geo-effectiveness of small-scale solar wind turbulence measured by Wind and ACE at 1 AU, *Ann. Geophys.*, **25**, 1183–1197, [10.5194/angeo-25-1183-2007](https://doi.org/10.5194/angeo-25-1183-2007).
- [105] Pchelkin, V. V., E. V. Pchelkina, and I. V. Golovchanskaya (2007), Anomalous behavior of cutoff rigidity variation in the region of the Mexico station during a magnetic superstorm on 20 November 2003, *Ann. Geophys.*, **25**, 1721–1725, [10.5194/angeo-25-1721-2007](https://doi.org/10.5194/angeo-25-1721-2007).
- [106] Penz, T., C. J. Farrugia, V. V. Ivanova, V. S. Semenov, I. B. Ivanov, S. W. H. Cowley, H. K. Biernat, and R. B. Torbert (2007), Modeled variations of the reconnection electric field at the dayside magnetopause during continued flux transfer event activity, *J. Geophys. Res.*, **112**, 1, [10.1029/2006JA011937](https://doi.org/10.1029/2006JA011937).
- [107] Peroomian, V., M. El-Alaoui, M. A. Abdalla, and L. M. Zelenyi (2007), A comparison of solar wind and ionospheric plasma contributions to the September 24 25, 1998 magnetic storm, *J. Atmos. Solar-Terr. Phys.*, **69**, 212–222, [10.1016/j.jastp.2006.07.025](https://doi.org/10.1016/j.jastp.2006.07.025).
- [108] Phan, T. D., G. Paschmann, C. Twitty, F. S. Mozer, J. T. Gosling, J. P. Eastwood, M. Øieroset, H. Rème, and E. A. Lucek (2007), Evidence for magnetic reconnection initiated in the magnetosheath, *Geophys. Res. Lett.*, **34**, L14,104, [10.1029/2007GL030343](https://doi.org/10.1029/2007GL030343).
- [109] Pirard, B., J. Cabrera, C. D'Uston, J. J. Thocaven, O. Gasnault, P. Leleux, and J. Brückner (2007), Solar proton damage in high-purity germanium detectors, *Nucl. Inst. & Meth. in Phys. Res. A*, **572**, 698–707, [10.1016/j.nima.2006.11.051](https://doi.org/10.1016/j.nima.2006.11.051).
- [110] Podesta, J. J. (2007), Self-similar scaling of kinetic energy density in the inertial range of solar wind turbulence, *J. Geophys. Res.*, **112**, A11,104, [10.1029/2007JA012549](https://doi.org/10.1029/2007JA012549).

List of Refereed Publications
Wind Spacecraft: 2007

- [111] Podesta, J. J., D. A. Roberts, and M. L. Goldstein (2007), Spectral Exponents of Kinetic and Magnetic Energy Spectra in Solar Wind Turbulence, *Astrophys. J.*, **664**, 543–548, [10.1086/519211](https://doi.org/10.1086/519211).
- [112] Pohjolainen, S., L. van Driel-Gesztelyi, J. L. Culhane, P. K. Manoharan, and H. A. Elliott (2007), CME Propagation Characteristics from Radio Observations, *Solar Phys.*, **244**, 167–188, [10.1007/s11207-007-9006-6](https://doi.org/10.1007/s11207-007-9006-6).
- [113] Posner, A. (2007), Up to 1-hour forecasting of radiation hazards from solar energetic ion events with relativistic electrons, *Space Weather*, **50**, S05,001, [10.1029/2006SW000268](https://doi.org/10.1029/2006SW000268).
- [114] Pulkkinen, T. I., N. Partamies, K. E. J. Huttunen, G. D. Reeves, and H. E. J. Koskinen (2007), Differences in geomagnetic storms driven by magnetic clouds and ICME sheath regions, *Geophys. Res. Lett.*, **34**, L02,105, [10.1029/2006GL027775](https://doi.org/10.1029/2006GL027775).
- [115] Pulkkinen, T. I., M. Palmroth, and R. L. McPherron (2007), What drives magnetospheric activity under northward IMF conditions?, *Geophys. Res. Lett.*, **34**, L18104, [10.1029/2007GL030619](https://doi.org/10.1029/2007GL030619).
- [116] Qin, Z., R. E. Denton, N. A. Tsyganenko, and S. Wolf (2007), Solar wind parameters for magnetospheric magnetic field modeling, *Space Weather*, **51**, S11,003, [10.1029/2006SW000296](https://doi.org/10.1029/2006SW000296).
- [117] Quémérais, E., R. Lallement, D. Koutroumpa, and P. Lamy (2007), Velocity Profiles in the Solar Corona from Multi-Instrument Observations, *Astrophys. J.*, **667**, 1229–1234, [10.1086/520918](https://doi.org/10.1086/520918).
- [118] Reiner, M. J., S. Krucker, D. E. Gary, B. L. Dougherty, M. L. Kaiser, and J.-L. Bougeret (2007), Radio and White-Light Coronal Signatures Associated with the RHESSI Hard X-Ray Event of 2002 July 23, *Astrophys. J.*, **657**, 1107–1116, [10.1086/510827](https://doi.org/10.1086/510827).
- [119] Reiner, M. J., J. Fainberg, M. L. Kaiser, and J.-L. Bougeret (2007), Circular Polarization Observed in Interplanetary Type III Radio Storms, *Solar Phys.*, **241**, 351–370, [10.1007/s11207-007-0277-8](https://doi.org/10.1007/s11207-007-0277-8).
- [120] Reiner, M. J., M. L. Kaiser, and J.-L. Bougeret (2007), Coronal and Interplanetary Propagation of CME/Shocks from Radio, In Situ and White-Light Observations, *Astrophys. J.*, **663**, 1369–1385, [10.1086/518683](https://doi.org/10.1086/518683).
- [121] Riley, P. (2007), An Alternative Interpretation of the Relationship between the Inferred Open Solar Flux and the Interplanetary Magnetic Field, *Astrophys. J. Lett.*, **667**, L97–L100, [10.1086/522001](https://doi.org/10.1086/522001).
- [122] Roberts, D. A., J. Giacalone, J. R. Jokipii, M. L. Goldstein, and T. D. Zepp (2007), Spectra of polar heliospheric fields and implications for field structure, *J. Geophys. Res.*, **112**, A08103, [10.1029/2007JA012247](https://doi.org/10.1029/2007JA012247).

List of Refereed Publications
Wind Spacecraft: 2007

- [123] Rosenqvist, L., A. Kullen, and S. Buchert (2007), An unusual giant spiral arc in the polar cap region during the northward phase of a Coronal Mass Ejection, *Ann. Geophys.*, **25**, 507–517, [10.5194/angeo-25-507-2007](https://doi.org/10.5194/angeo-25-507-2007).
- [124] Rouillard, A. P., M. Lockwood, and I. Finch (2007), Centennial changes in the solar wind speed and in the open solar flux, *J. Geophys. Res.*, **112**, A05103, [10.1029/2006JA012130](https://doi.org/10.1029/2006JA012130).
- [125] Roy, N., P. K. Manoharan, and P. Chakraborty (2007), Occultation Observation to Probe the Turbulence Scale Size in the Plasma Tail of Comet Schwassmann-Wachmann 3-B, *Astrophys. J. Lett.*, **668**, L67–L70, [10.1086/522780](https://doi.org/10.1086/522780).
- [126] Šafránková, J., Z. Němeček, L. Přech, A. A. Samsonov, A. Koval, and K. Andrééová (2007), Modification of interplanetary shocks near the bow shock and through the magnetosheath, *J. Geophys. Res.*, **112**, 8212, [10.1029/2007JA012503](https://doi.org/10.1029/2007JA012503).
- [127] Šafránková, J., Z. Němeček, L. Přech, A. A. Samsonov, A. Koval, and K. Andrééová (2007), Interaction of interplanetary shocks with the bow shock, *Planet. Space Sci.*, **55**, 2324–2329, [10.1016/j.pss.2007.05.012](https://doi.org/10.1016/j.pss.2007.05.012).
- [128] Salem, C., S. D. Bale, and M. Maksimovic (2007), Solar Wind Electrons And Associated Heat Conduction In The Inner Heliosphere, in *Second Solar Orbiter Workshop, ESA Special Publication*, vol. 641, p. 9.
- [129] Salem, C., A. Mangeney, S. D. Bale, P. Veltri, and R. Bruno (2007), Anomalous scaling and the role of intermittency in solar wind MHD turbulence: new insights, in *Turbulence and Nonlinear Processes in Astrophysical Plasmas, American Institute of Physics Conference Series*, vol. 932, edited by D. Shaikh and G. P. Zank, pp. 75–82, [10.1063/1.2778948](https://doi.org/10.1063/1.2778948).
- [130] Sandholt, P. E., and C. J. Farrugia (2007), Role of poleward moving auroral forms in the dawn-dusk auroral precipitation asymmetries induced by IMF B_y , *J. Geophys. Res.*, **112**, 4203, [10.1029/2006JA011952](https://doi.org/10.1029/2006JA011952).
- [131] Sandholt, P. E., and C. J. Farrugia (2007), Poleward moving auroral forms (PMAFs) revisited: responses of aurorae, plasma convection and Birkeland currents in the pre- and postnoon sectors under positive and negative IMF B_y conditions, *Ann. Geophys.*, **25**, 1629–1652, [10.5194/angeo-25-1629-2007](https://doi.org/10.5194/angeo-25-1629-2007).
- [132] Saul, L., E. Möbius, P. Isenberg, and P. Bochsler (2007), On Pitch-Angle Scattering Rates of Interstellar Pickup Ions as Determined by in Situ Measurement of Velocity Distributions, *Astrophys. J.*, **655**, 672–677, [10.1086/509732](https://doi.org/10.1086/509732).
- [133] Schwadron, N. A., and G. Gloeckler (2007), Pickup Ions and Cosmic Rays from Dust in the Heliosphere, *Space Sci. Rev.*, **130**, 283–291, [10.1007/s11214-007-9166-6](https://doi.org/10.1007/s11214-007-9166-6).
- [134] Shen, C., Y. Wang, P. Ye, X. P. Zhao, B. Gui, and S. Wang (2007), Strength of Coronal Mass Ejection-driven Shocks near the Sun and Their Importance in Predicting Solar Energetic Particle Events, *Astrophys. J.*, **670**, 849–856, [10.1086/521716](https://doi.org/10.1086/521716).

List of Refereed Publications
Wind Spacecraft: 2007

- [135] Shen, F., X. Feng, S. T. Wu, and C. Xiang (2007), Three-dimensional MHD simulation of CMEs in three-dimensional background solar wind with the self-consistent structure on the source surface as input: Numerical simulation of the January 1997 Sun-Earth connection event, *J. Geophys. Res.*, **112**, A06,109, [10.1029/2006JA012164](https://doi.org/10.1029/2006JA012164).
- [136] Shevlyrev, N. N., J. Du, G. N. Zastenker, C. Wang, and P. E. Eiges (2007), Small-scale ion flux and magnetic field fluctuations in solar wind, foreshock and magnetosheath, *Chinese Phys.*, **16**, 1477–1487, [10.1088/1009-1963/16/5/052](https://doi.org/10.1088/1009-1963/16/5/052).
- [137] Stevens, M. L., and J. C. Kasper (2007), A scale-free analysis of magnetic holes at 1 AU, *J. Geophys. Res.*, **112**, A05,109, [10.1029/2006JA012116](https://doi.org/10.1029/2006JA012116).
- [138] Tan, L. C., D. V. Reames, and C. K. Ng (2007), Bulk Flow Velocity and First-Order Anisotropy of Solar Energetic Particles Observed on the Wind Spacecraft: Overview of Three “Gradual” Particle Events, *Astrophys. J.*, **661**, 1297–1310, [10.1086/516626](https://doi.org/10.1086/516626).
- [139] Thejappa, G., R. J. MacDowall, and M. L. Kaiser (2007), Monte Carlo Simulation of Directivity of Interplanetary Radio Bursts, *Astrophys. J.*, **671**, 894–906, [10.1086/522664](https://doi.org/10.1086/522664).
- [140] Trimble, V., M. J. Aschwanden, and C. J. Hansen (2007), Astrophysics in 2006, *Space Sci. Rev.*, **132**, 1–182, [10.1007/s11214-007-9224-0](https://doi.org/10.1007/s11214-007-9224-0).
- [141] Tsyganenko, N. A., and M. I. Sitnov (2007), Magnetospheric configurations from a high-resolution data-based magnetic field model, *J. Geophys. Res.*, **112**, A06225, [10.1029/2007JA012260](https://doi.org/10.1029/2007JA012260).
- [142] Vaivads, A., A. I. Eriksson, M. André, L. G. Blomberg, J.-E. Wahlund, and S. D. Bale (2007), Low-frequency electric field and density fluctuation measurements on Solar Orbiter, *Adv. Space Res.*, **39**, 1502–1509, [10.1016/j.asr.2006.10.011](https://doi.org/10.1016/j.asr.2006.10.011).
- [143] Voiculescu, M., and T. Nygrén (2007), IMF effect on ionospheric trough occurrence at equinoxes, *Adv. Space Res.*, **40**, 1935–1940, [10.1016/j.asr.2007.04.108](https://doi.org/10.1016/j.asr.2007.04.108).
- [144] Vourlidas, A., M. Pick, S. Hoang, and P. Démoulin (2007), Identification of a Peculiar Radio Source in the Aftermath of Large Coronal Mass Ejection Events, *Astrophys. J.*, **656**, L105–L108, [10.1086/512607](https://doi.org/10.1086/512607).
- [145] Vršnak, B., and T. Žic (2007), Transit times of interplanetary coronal mass ejections and the solar wind speed, *Astron. & Astrophys.*, **472**, 937–943, [10.1051/0004-6361:20077499](https://doi.org/10.1051/0004-6361:20077499).
- [146] Wang, C., J. B. Liu, Z. H. Huang, and J. D. Richardson (2007), Response of the magnetic field in the geosynchronous orbit to solar wind dynamic pressure pulses, *J. Geophys. Res.*, **112**, A12,210, [10.1029/2007JA012664](https://doi.org/10.1029/2007JA012664).
- [147] Waters, C. L., K. Kabin, R. Rankin, E. Donovan, and J. C. Samson (2007), Effects of the magnetic field model and wave polarisation on the estimation of proton number densities in the magnetosphere using field line resonances, *Planet. Space Sci.*, **55**, 809–819, [10.1016/j.pss.2006.04.041](https://doi.org/10.1016/j.pss.2006.04.041).

List of Refereed Publications
Wind Spacecraft: 2007

- [148] Weidenspointner, G., J. Knöldlseder, P. Jean, G. K. Skinner, P. von Ballmoos, J.-P. Roques, G. Vedrenne, P. Milne, B. J. Teegarden, R. Diehl, A. Strong, S. Schanne, B. Cordier, and C. Winkler (2007), The Sky Distribution of 51 1 keV Positron Annihilation Line Emission as Measured with INTEGRAL/SP125, in *ESA Special Publication*, *ESA Special Publication*, vol. 622, pp. 25–+.
- [149] Wilson III, L. B., C. Cattell, P. J. Kellogg, K. Goetz, K. Kersten, L. Hanson, R. MacGregor, and J. C. Kasper (2007), Waves in Interplanetary Shocks: A Wind/WAVES Study, *Phys. Rev. Lett.*, **99**, 041,101–+, [10.1103/PhysRevLett.99.041101](https://doi.org/10.1103/PhysRevLett.99.041101).
- [150] Woods, P. M., C. Kouveliotou, M. H. Finger, E. Göğüş, C. A. Wilson, S. K. Patel, K. Hurley, and J. H. Swank (2007), The Prelude to and Aftermath of the Giant Flare of 2004 December 27: Persistent and Pulsed X-Ray Properties of SGR 1806-20 from 1993 to 2005, *Astrophys. J.*, **654**, 470–486, [10.1086/507459](https://doi.org/10.1086/507459).
- [151] Wu, C.-C., and R. P. Lepping (2007), Comparison of the Characteristics of Magnetic Clouds and Magnetic Cloud-Like Structures for the Events of 1995 - 2003, *Solar Phys.*, **242**, 159–165, [10.1007/s11207-007-0323-6](https://doi.org/10.1007/s11207-007-0323-6).
- [152] Wu, C.-C., C. D. Fry, S. T. Wu, M. Dryer, and K. Liou (2007), Three-dimensional global simulation of interplanetary coronal mass ejection propagation from the Sun to the heliosphere: Solar event of 12 May 1997, *J. Geophys. Res.*, **112**, A09,104, [10.1029/2006JA012211](https://doi.org/10.1029/2006JA012211).
- [153] Wu, D. J., and L. Yang (2007), Nonlinear Interaction of Minor Heavy Ions with Kinetic Alfvén Waves and Their Anisotropic Energization in Coronal Holes, *Astrophys. J.*, **659**, 1693–1701, [10.1086/512117](https://doi.org/10.1086/512117).
- [154] Wu, G.-P., G.-L. Huang, Y.-H. Tang, and Y. Dai (2007), The Origin and Acceleration of ^3He and Heavy Ions in the 2000 July 14 Event, *Chinese J. Astron. & Astrophys.*, **7**, 141–147, [10.1088/1009-9271/7/1/11](https://doi.org/10.1088/1009-9271/7/1/11).
- [155] Xapsos, M. A., C. Stauffer, T. Jordan, J. L. Barth, and R. A. Mewaldt (2007), Model for Cumulative Solar Heavy Ion Energy and Linear Energy Transfer Spectra, *IEEE Trans. Nucl. Sci.*, **54**, 1985–1989, [10.1109/TNS.2007.910850](https://doi.org/10.1109/TNS.2007.910850).
- [156] Yagova, N., V. Pilipenko, J. Watermann, and K. Yumoto (2007), Control of high latitude geomagnetic fluctuations by interplanetary parameters: the role of suprathermal ions, *Ann. Geophys.*, **25**, 1037–1047, [10.5194/angeo-25-1037-2007](https://doi.org/10.5194/angeo-25-1037-2007).
- [157] Yermolaev, Y. I., M. Y. Yermolaev, N. S. Nikolaeva, and L. G. Lodkina (2007), Interplanetary conditions for CIR-induced and MC-induced geomagnetic storms, *Bulgarian J. Phys.*, **34**, 138.
- [158] Yermolaev, Y. I., M. Y. Yermolaev, I. G. Lodkina, and N. S. Nikolaeva (2007), Statistical investigation of heliospheric conditions resulting in magnetic storms, *Cosmic Res.*, **45**, 1–8, [10.1134/S0010952507010017](https://doi.org/10.1134/S0010952507010017).

List of Refereed Publications
Wind Spacecraft: 2007

- [159] Yermolaev, Y. I., M. Y. Yermolaev, I. G. Lodkina, and N. S. Nikolaeva (2007), Statistical investigation of Heliospheric conditions resulting in magnetic storms: 2, *Cosmic Res.*, **45**, 461–470, [10.1134/S0010952507060020](https://doi.org/10.1134/S0010952507060020).
- [160] Yuan, Z., and X. Deng (2007), Effects of continuous solar wind pressure variations on the long-lasting penetration of the interplanetary electric field during southward interplanetary magnetic field, *Adv. Space Res.*, **39**, 1342–1346, [10.1016/j.asr.2007.02.033](https://doi.org/10.1016/j.asr.2007.02.033).
- [161] Yurchyshyn, V., Q. Hu, R. P. Lepping, B. J. Lynch, and J. Krall (2007), Orientations of LASCO Halo CMEs and their connection to the flux rope structure of interplanetary CMEs, *Adv. Space Res.*, **40**, 1821–1826, [10.1016/j.asr.2007.01.059](https://doi.org/10.1016/j.asr.2007.01.059).
- [162] Zaalov, N. Y., E. M. Warrington, and A. J. Stocker (2007), Effect of geomagnetic activity on the channel scattering functions of HF signals propagating in the region of the midlatitude trough and the auroral zone, *Radio Sci.*, **42**, RS4005, [10.1029/2006RS003611](https://doi.org/10.1029/2006RS003611).
- [163] Zarka, P., L. Lamy, B. Cecconi, R. Prangé, and H. O. Rucker (2007), Modulation of Saturn's radio clock by solar wind speed, *Nature*, **450**, 265–267, [10.1038/nature06237](https://doi.org/10.1038/nature06237).
- [164] Zastenker, G., and M. Riazantseva (2007), Multipoint observations of the dynamics of the sharp solar wind structure boundaries, *Planet. Space Sci.*, **55**, 2340–2346, [10.1016/j.pss.2007.05.016](https://doi.org/10.1016/j.pss.2007.05.016).
- [165] Zastenker, G. N. (2007), Dynamics of the Solar Wind, *Sun and Geosphere*, **2**, 25–28.
- [166] Zhang, B., E. Liang, K. L. Page, D. Grupe, B.-B. Zhang, S. D. Barthelmy, D. N. Burrows, S. Campana, G. Chincarini, N. Gehrels, S. Kobayashi, P. Mészáros, A. Moretti, J. A. Nousek, P. T. O'Brien, J. P. Osborne, P. W. A. Roming, T. Sakamoto, P. Schady, and R. Willingale (2007), GRB Radiative Efficiencies Derived from the Swift Data: GRBs versus XRFs, Long versus Short, *Astrophys. J.*, **655**, 989–1001, [10.1086/510110](https://doi.org/10.1086/510110).
- [167] Zhang, J., I. G. Richardson, D. F. Webb, N. Gopalswamy, E. Huttunen, J. C. Kasper, N. V. Nitta, W. Poomvises, B. J. Thompson, C.-C. Wu, S. Yashiro, and A. N. Zhukov (2007), Solar and interplanetary sources of major geomagnetic storms ($Dst \leq -100$ nT) during 1996–2005, *J. Geophys. Res.*, **112**, A10,102, [10.1029/2007JA012321](https://doi.org/10.1029/2007JA012321).
- [168] Zhukov, A. N. (2007), Using CME Observations for Geomagnetic Storm Forecasting, in *Space Weather : Research Towards Applications in Europe 2nd European Space Weather Week (ESWW2)*, *Astrophysics and Space Science Library*, vol. 344, edited by J. Lilensten, pp. 5–+, [10.1007/1-4020-5446-7_2](https://doi.org/10.1007/1-4020-5446-7_2).
- [169] Zolotukhina, N., and J. Cao (2007), Transformation of structured Pc1 into IPDP-like emission under enhanced magnetospheric convection: A case study, *J. Atmos. Solar-Terr. Phys.*, **69**, 1668–1679, [10.1016/j.jastp.2007.01.016](https://doi.org/10.1016/j.jastp.2007.01.016).
- [170] Zolotukhina, N., V. Pilipenko, M. Engebretson, and A. Rodger (2007), Response of the inner and outer magnetosphere to solar wind density fluctuations during the recovery phase of a moderate magnetic storm, *J. Atmos. Solar-Terr. Phys.*, **69**, 1707–1722, [10.1016/j.jastp.2007.02.011](https://doi.org/10.1016/j.jastp.2007.02.011).

List of Refereed Publications
Wind Spacecraft: 2007

- [171] Zuo, P. B., and X. S. Feng (2007), The Plasma and Magnetic Field Characteristics of a Double Discontinuity in Interplanetary Space, *Solar Phys.*, **240**, 347–357, [10.1007/s11207-007-0278-7](https://doi.org/10.1007/s11207-007-0278-7).
- [172] Zuo, P. B., F. S. Wei, X. S. Feng, and F. Yang (2007), The Relationship between the Magnetic Cloud Boundary Layer and the Substorm Expansion Phase, *Solar Phys.*, **242**, 167–185, [10.1007/s11207-007-0407-3](https://doi.org/10.1007/s11207-007-0407-3).