



AWK

**Awk:**

**Hack the planet['s text]!**

(Updated for 2023)

**Ben Porter**

# Outline

- What is awk?
- Why learn awk?
- History of awk
- Super simple awk programs
- Awk Patterns Overview
- Awk Actions Overview
- Dive a Little Deeper (functions, pipes)
- Example programs

```
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'  
awk 'Hack the planet'
```

made with Peek and lolcat

Updated: Syntax Highlighting

# What is Awk?

- A powerful, succinct scripting language for text processing
  - More formally, Awk is a data-driven scripting language consisting of a set of actions to be taken against streams of textual data for purposes of extracting or transforming text, such as producing formatted reports
  - Written by Alfred Aho, Peter Weinberger, and Brian Kernighan
  - Initially developed in 1977
- 
- Source: <https://en.wikipedia.org/wiki/AWK>

# What is Awk?

- Awk was significantly revised and expanded in 1985–88 into GNU Awk
  - GNU Awk (gawk) written by Paul Rubin, Jay Fenlason, and Richard Stallman
  - gawk is most widely deployed version
  - gawk has been maintained solely by Arnold Robbins since 1994
  - Brian Kernighan's nawk (New AWK) source was first released in 1993 unpublicized, and publicly since the late 1990s;
  - Many BSD systems use nawk to avoid the GPL license (but their users always install gawk ;-)
- 
- Source: <https://en.wikipedia.org/wiki/AWK>

# Is awk a programming language?

- Awk is a command line tool, but more so than grep and others it is also a programming language!
- It's not a general purpose language. It's optimized for text processing
- But, it is Turing complete!

Is Awk a programming language?

Or just a CLI tool?



# Why Learn Awk?

This is an excellent question! There are many good reasons:

- Awk is part of Posix, so it is installed *everywhere*
- Many of the problems you face are text processing problems
- Awk is the gold standard of text processing tools
- Awk will make you powerful
- People are impressed with those that use awk
- All *real* hackers use awk
- Awk is really pretty easy to learn! (seriously)



# History of Awk

## Before Awk:

- Was preceded by sed, which was the scripting part of ed
- Sed was the first powerful regex tool
- Used main loop and current line variables (awk expanded on this)
- Awk was an evolution in the sed line-oriented approach

## After Awk:

- Awk's powerful regexes and also its limitations inspired Perl,
- Perl in turn inspired beautiful languages like Ruby which inspired Elixir
- We have a lot to thank awk for!

# The Traditional “Hello World” in awk

- `BEGIN { print "Hello, world!" }`





# Running an awk program

- Several different ways to invoke an awk program:
  - `awk 'program' input files` # Pass awk code as a string arg
  - `awk -f progfile input files` # Pass awk code in a file
  - `some_command | awk 'program'` # Pass awk code as a string arg

# Running an awk program


- You can even use a `#!` (she-bang) in a \*nix script:

- ```
#!/usr/bin/env awk -f  
BEGIN { print "Hello, world!" }
```

- ```
./script.awk *.log
```

# Structure of an awk program

- `pattern { action }`



# Structure of an awk program

- `pattern { action }`
- Awk scans a sequence of input lines one after another searching for lines that are matched.
- Every input line is tested against each pattern in turn
- For each match, the `{ action }` is executed
- After every applicable `{ action }` is executed, the next line is processed
- Action are enclosed in braces to distinguish them from the pattern

# Structure of an awk program

- Either the pattern or the action can be omitted
- If the pattern is omitted, *every line will automatically match*
- It is essentially the equivalent of:


```
/.*/ { action }
```

- If the action is omitted, *every line matching the regex will be printed*
- It is essentially the equivalent of:

```
/some-regex/ { print $0 }
```

# Awk Patterns

- Awk patterns are basically just “if” statements to decide to execute the action
- Decide if a match is True or False
- If True, execute the following Action
- If False, skip the action and proceed to test the next pattern with current line



---

---

## Summary of Patterns (Types)

1. **BEGIN { *statements* }**

The *statements* are executed once before any input has been read.

2. **END { *statements* }**

The *statements* are executed once after all input has been read.

3. ***expression* { *statements* }**

The *statements* are executed at each input line where the *expression* is true, that is, nonzero or nonnull.

4. ***/regular expression/* { *statements* }**

The *statements* are executed at each input line that contains a string matched by the *regular expression*.

5. ***compound pattern* { *statements* }**

A compound pattern combines expressions with && (AND), || (OR), ! (NOT), and parentheses; the *statements* are executed at each input line where the *compound pattern* is true.

6. ***pattern<sub>1</sub> , pattern<sub>2</sub>* { *statements* }**

A range pattern matches each input line from a line matched by *pattern<sub>1</sub>* to the next line matched by *pattern<sub>2</sub>*, inclusive; the *statements* are executed at each matching line.

# Awk Patterns

TABLE 2-1. COMPARISON OPERATORS

OPERATOR	MEANING
<	less than
<=	less than or equal to
==	equal to
!=	not equal to
>=	greater than or equal to
>	greater than
~	matched by
!~	not matched by

Examples:

```
NF < 10 # Num Fields
```

```
NR <= 150 # Num Records
```

```
$1 == "SomeString"
```

```
$4 ~ /linux/ (or "linux")
```

```
$5 !~ /awk/
```

```
$2/$3 >= 0.5
```



# Awk Patterns

---

---

## String-Matching Patterns

1. ***/regexpr/*** implies "\$0 ~"  
Matches when the current input line contains a substring matched by *regexpr*.
2. ***expression ~ /regexpr/***  
Matches if the string value of *expression* contains a substring matched by *regexpr*.
3. ***expression !~ /regexpr/***  
Matches if the string value of *expression* does not contain a substring matched by *regexpr*.

Any expression may be used in place of */regexpr/* in the context of *~* and *!~*.

---

---

# Awk Patterns

TABLE 2-2. ESCAPE SEQUENCES

SEQUENCE	MEANING
<code>\b</code>	backspace
<code>\f</code>	formfeed
<code>\n</code>	newline (line feed)
<code>\r</code>	carriage return
<code>\t</code>	tab
<code>\ddd</code>	octal value <i>ddd</i> , where <i>ddd</i> is 1 to 3 digits between 0 and 7
<code>\c</code>	any other character <i>c</i> literally (e.g., <code>\\</code> for backslash, <code>\"</code> for <code>"</code> )

# Awk Range Patterns

- A range pattern consists of two patterns separated by a comma
- A range pattern matches each line between an occurrence of pattern 1 and the next occurrence of pattern 2 inclusive
- If no instance of the second pattern is subsequently found, then all lines to the end of the input are matched
  
- Example - Apply { action } to lines 1 through 10:

```
NR == 1, NR == 10 { print $0 }
```

# Awk Patterns Summary

TABLE 2-4. PATTERNS

PATTERN	EXAMPLE	MATCHES
<i>BEGIN</i>	<b>BEGIN</b>	before any input has been read
<i>END</i>	<b>END</b>	after all input has been read
<i>expression</i>	<b>\$3 &lt; 100</b>	lines in which third field is less than 100
<i>string-matching</i>	(Regex) <b>/Asia/</b>	lines that contain <b>Asia</b>
<i>compound</i>	<b>\$3 &lt; 100 &amp;&amp; \$4 == "Asia"</b>	lines in which third field is less than 100 and fourth field is <b>Asia</b>
<i>range</i>	<b>NR==10, NR==20</b>	tenth to twentieth lines of input inclusive

# Structure of an awk program

- Either the pattern or the action can be omitted
- If the pattern is omitted, *every line will automatically match*
- It is essentially the equivalent of:


```
/.*/ { action }
```

- If the action is omitted, *every line matching the regex will be printed*
- It is essentially the equivalent of:

```
/some-regex/ { print $0 }
```

# Awk Actions

- Executed if the pattern matches (if there was no pattern)
- Are much like a typical language (such as C)
- Have access to a number of built in variables
- Can create variables or call functions (such as print)
- Parenthesis in function calls are optional
- Can override fields or create new fields



---

---

## Actions

The statements in actions can include:

*expressions*, with constants, variables, assignments, function calls, etc.

`print expression-list`

`printf(format, expression-list)`

`if (expression) statement`

`if (expression) statement else statement`

`while (expression) statement`

`for (expression; expression; expression) statement`

`for (variable in array) statement`

`do statement while (expression)`

`break`

`continue`

`next`

`exit`

`exit expression`

`{ statements }`

---

---

# The simplest awk programs

- You've probably seen this before:
  - `awk '{ print $2 }'`
- Or maybe this:
  - `awk ` $3 == 10 ``



# The simplest awk programs

- Print every line (not really helpful in the real world. This is just a reimplementaion of “cat”)
  - `awk '{ print }'`
- Equivalent to
  - `awk '{ print $0 }'`

# The simplest awk programs

- Print some columns

- `awk '{ print $1, $3 }'`

- Do some column math

- `awk '{ print $1, $2 * $3 }'`

TABLE 2-5. BUILT-IN VARIABLES

VARIABLE	MEANING	DEFAULT
ARGC	number of command-line arguments	-
ARGV	array of command-line arguments	-
FILENAME	name of current input file	-
FNR	record number in current file	-
FS	controls the input field separator	" "
NF	number of fields in current record	-
NR	number of records read so far	-
OFMT	output format for numbers	"%.6g"
OFS	output field separator	" "
ORS	output record separator	"\n"
RLENGTH	length of string matched by match function	-
RS	controls the input record separator	"\n"
RSTART	start of string matched by match function	-
SUBSEP	subscript separator	"\034"

# Magic variables!

- Print number of fields (columns)
  - `awk '{ print NF }'`
- Print number of lines read (basically line numbers)
  - `awk '{ print NR, $0 }'`

# Add text to the output!

- Print number of fields (columns)

- `awk '{ print $1 "makes" $3 "per hour" }'`

- More control with printf instead of print

- `awk '{ printf("%s makes $%.2f per hour\n", $1, $3) }'`

# Combine with other tools like sort and uniq

- Sort the output by \$ per hour (3rd column)
  - `awk '{ print $1 "makes" $3 "per hour" }' | sort -nk 3`
- Filter on unique wages
  - `awk '{ print $1 "makes" $3 "per hour" }' | uniq -f 2`

---

---

## Expressions

1. The primary expressions are:  
numeric and string constants, variables, fields, function calls, array elements.
  2. These operators combine expressions:  
assignment operators = += -= \*= /= %= ^=  
conditional expression operator ? :  
logical operators !! (OR), && (AND), ! (NOT)  
matching operators - and !~  
relational operators < <= == != > >=  
concatenation (no explicit operator)  
arithmetic operators + - \* / % ^  
unary + and -  
increment and decrement operators ++ and -- (prefix and postfix)  
parentheses for grouping
- 
-

# Built-in Math Functions

FUNCTION	VALUE RETURNED
<code>atan2(y,x)</code>	arctangent of $y/x$ in the range $-\pi$ to $\pi$
<code>cos(x)</code>	cosine of $x$ , with $x$ in radians
<code>exp(x)</code>	exponential function of $x$ , $e^x$
<code>int(x)</code>	integer part of $x$ ; truncated towards 0 when $x > 0$
<code>log(x)</code>	natural (base $e$ ) logarithm of $x$
<code>rand()</code>	random number $r$ , where $0 \leq r < 1$
<code>sin(x)</code>	sine of $x$ , with $x$ in radians
<code>sqrt(x)</code>	square root of $x$
<code>srand(x)</code>	$x$ is new seed for <code>rand()</code>



TABLE 2-7. BUILT-IN STRING FUNCTIONS

FUNCTION	DESCRIPTION
<code>gsub(<i>r</i>,<i>s</i>)</code>	substitute <i>s</i> for <i>r</i> globally in \$0, return number of substitutions made
<code>gsub(<i>r</i>,<i>s</i>,<i>t</i>)</code>	substitute <i>s</i> for <i>r</i> globally in string <i>t</i> , return number of substitutions made
<code>index(<i>s</i>,<i>t</i>)</code>	return first position of string <i>t</i> in <i>s</i> , or 0 if <i>t</i> is not present
<code>length(<i>s</i>)</code>	return number of characters in <i>s</i>
<code>match(<i>s</i>,<i>r</i>)</code>	test whether <i>s</i> contains a substring matched by <i>r</i> ; return index or 0; sets RSTART and RLENGTH
<code>split(<i>s</i>,<i>a</i>)</code>	split <i>s</i> into array <i>a</i> on FS, return number of fields
<code>split(<i>s</i>,<i>a</i>,<i>fs</i>)</code>	split <i>s</i> into array <i>a</i> on field separator <i>fs</i> , return number of fields
<code>sprintf(<i>fmt</i>,<i>expr-list</i>)</code>	return <i>expr-list</i> formatted according to format string <i>fmt</i>
<code>sub(<i>r</i>,<i>s</i>)</code>	substitute <i>s</i> for the leftmost longest substring of \$0 matched by <i>r</i> ; return number of substitutions made
<code>sub(<i>r</i>,<i>s</i>,<i>t</i>)</code>	substitute <i>s</i> for the leftmost longest substring of <i>t</i> matched by <i>r</i> ; return number of substitutions made
<code>substr(<i>s</i>,<i>p</i>)</code>	return suffix of <i>s</i> starting at position <i>p</i>
<code>substr(<i>s</i>,<i>p</i>,<i>n</i>)</code>	return substring of <i>s</i> of length <i>n</i> starting at position <i>p</i>

# String functions

Implicit argument is \$0 (the whole line):

```
{ gsub(/USA/, "United States"); print } # implicit arguments
```

More examples:

```
X = sprintf("%10s, %6d", $1, $2)
```

```
gsub(/ana/, "anda", "banana") # explicit arguments
```

# String Concatenation

Simply put two strings together:

Example: Concatenate fields 2 and 3:

```
print $2 $3
```

Concatenate:

```
print "hello" "world"
```

Outputs: "helloworld"

# Types

## Strings

```
"String literal"
```

## Numbers:

```
+1 1. 0 1e0 0. 1e+ 1 10E-1 001
```

Types will be *automatically coerced* when needed.

TABLE 2-8. EXPRESSION OPERATORS

OPERATION	OPERATORS	EXAMPLE	MEANING OF EXAMPLE
assignment	= += -= *= /= %= ^=	x *= 2	x = x * 2
conditional	?:	x?y:z	if x is true then y else z
logical OR		x    y	1 if x or y is true, 0 otherwise
logical AND	&&	x && y	1 if x and y are true, 0 otherwise
array membership	in	i in a	1 if a[i] exists, 0 otherwise
matching	- !~	\$1 ~ /x/	1 if the first field contains an x, 0 otherwise
relational	< <= == != >= >	x == y	1 if x is equal to y, 0 otherwise
concatenation		"a" "bc"	"abc"; there is no explicit concatenation operator
add, subtract	+ -	x + y	sum of x and y
multiply, divide, mod	* / %	x % y	remainder of x divided by y
unary plus and minus	+ -	-x	negated value of x
logical NOT	!	!\$1	1 if \$1 is zero or null, 0 otherwise
exponentiation	^	x ^ y	x <sup>y</sup>
increment, decrement	++ --	++x, x++	add 1 to x
field	\$	\$i+1	value of i-th field, plus 1
grouping	( )	(\$i)++	add 1 to value of i-th field

# Control Flow

- Most standard control flow is supported
- Syntax is like C
- if/else
- while
- for

---

## Control-Flow Statements

---

*{ statements }*  
statement grouping

*if (expression) statement*  
if *expression* is true, execute *statement*

*if (expression) statement<sub>1</sub> else statement<sub>2</sub>*  
if *expression* is true, execute *statement<sub>1</sub>* otherwise execute *statement<sub>2</sub>*

*while (expression) statement*  
if *expression* is true, execute *statement*, then repeat

*for (expression<sub>1</sub>; expression<sub>2</sub>; expression<sub>3</sub>) statement*  
equivalent to *expression<sub>1</sub>*; while (*expression<sub>2</sub>*) { *statement*; *expression<sub>3</sub>* }

*for (variable in array) statement*  
execute *statement* with *variable* set to each subscript in *array* in turn

*do statement while (expression)*  
execute *statement*; if *expression* is true, repeat

*break*  
immediately leave innermost enclosing while, for or do

*continue*  
start next iteration of innermost enclosing while, for or do

*next*  
start next iteration of main input loop

*exit*  
*exit expression*  
go immediately to the END action; if within the END action, exit program entirely.  
Return *expression* as program status.

---

# Control Flow examples

**while** (*expression*)  
*statement*

```
{  
  i = 1  
  while (i <= NF) {  
    print $i  
    i++  
  }  
}
```

**for** (*expression*<sub>1</sub>; *expression*<sub>2</sub>; *expression*<sub>3</sub>)  
*statement*

```
{  
  for (i = 1; i<= NF; i++)  
    print $i  
}
```



---

---

## Output Statements

**print**

print \$0 on standard output

print *expression*, *expression*, ...

print *expression*'s, separated by OFS, terminated by ORS

print *expression*, *expression*, ... >*filename*

print on file *filename* instead of standard output

print *expression*, *expression*, ... >>*filename*

append to file *filename* instead of overwriting previous contents

print *expression*, *expression*, ... ! *command*

print to standard input of *command*

printf(*format*, *expression*, *expression*, ...)

printf(*format*, *expression*, *expression*, ...) >*filename*

printf(*format*, *expression*, *expression*, ...) >>*filename*

printf(*format*, *expression*, *expression*, ...) ! *command*

printf statements are like print but the first argument specifies output format

close(*filename*), close(*command*)

break connection between print and *filename* or *command*

system(*command*)

execute *command*; value is status return of *command*

# Printf % characters

TABLE 2-9. PRINTF FORMAT-CONTROL CHARACTERS

CHARACTER	PRINT EXPRESSION AS
<b>c</b>	ASCII character
<b>d</b>	decimal integer
<b>e</b>	<code>[-]d.dddddE[+-]dd</code>
<b>f</b>	<code>[-]ddd.ddddd</code>
<b>g</b>	e or f conversion, whichever is shorter, with nonsignificant zeros suppressed
<b>o</b>	unsigned octal number
<b>s</b>	string
<b>x</b>	unsigned hexadecimal number
<b>%</b>	print a %; no argument is consumed

# Going Deeper

- We can write to files directly from awk:

```
(pattern) { print "expression" > "file name" }
```

- We can also pipe:

```
(pattern) { print "expression" | "command" }
```

# Going Deeper

- We can write to files directly from awk:

```
(pattern) { print "expression" > "file name" }
```

- We can also pipe:

```
(pattern) { print "expression" | "command" }
```

# Going Deeper - Variables

- We can also create and set variables:

```
{
```

```
    w += NF
```

```
    c = length + 1
```

```
}
```

# We can call functions

- Count words in the input and print the number of lines, words, and characters (like wc):

```
{
```

```
    w += NF
```

```
    c += length + 1
```

```
}
```

```
END { print NR, w, c }
```

# And Define Functions

- We can also define our own functions:

```
function add_three (number) {
```

```
    return number + 3
```

```
}
```

```
(pattern) { print add_three(36) } # Outputs '''39'''
```

# Going Deeper - Arrays

- Arrays are one dimensional
- For Strings or Numbers
- Arrays and elements do not need to be declared
- All arrays are associative
- Iterate with: `for (variable in array)`
- Delete element: `delete array[subscript]`
- Set or replace element (string key): `Array["one"] = 2`
- Set or replace element (integer key): `Array[5] = "two"`
- Even with an integer key, the array is still associative!



# Going Deeper - Field Manipulation

- Fields can be specified by expression:

$\$(NF-1)$  is second to last,  $\$NF$  is last, etc.

- A field variable referencing a non-existent field can be created through assignment. Initial value is empty string:

$\$(NF+1) = \$(NF-1) / 1000$

# Going Deeper - Self-contained Scripts

```
#!/usr/bin/awk -f  
{ print $0 }
```

It can be invoked with: `./print.awk <filename>`

The `-f` tells AWK that the argument that follows is the file to read the AWK program from, which is the same flag that is used in `sed`. Since they are often used for one-liners, both these programs default to executing a program given as a command-line argument, rather than a separate file.

# Some weird Awk stuff

What??

```
awk '{$1=$1}1' file.txt
```

It removes leading space. Easier to read (but more verbose) written as:

```
awk '{ $1=$1 }; { print }' file.txt
```

More verbose, but entirely explicit:

```
awk '/./ { $1=$1 }; /./ { print $0 }' file.txt
```

# An Awk file server! (Yes this really works)

```
awk '@load"filefuncs";@load"readfile";func
send(s,e,d,t,b){print"HTTP/1.0 "s"e|&S;print"Content-Length:
"b|&S;print"Content-Type: "t|&S;print d|&S;close(S);}func
cf(x){split(x,y,"/");for(z in y){print "FOUND
"y[z];if(y[z]==".."){return 0;}}return 1;}func mt(f){c="file -b
--mime-type "f;r="";while((c|getline z)>0){r=r z;}close(c);return
r;}BEGIN{if(ARGV[1]!=""){if(chdir(ARGV[1])){print "Failed to chdir to
"ARGV[1];exit;}ARGC=1;}RS=ORS="\r\n";while(1){S="/inet/tcp/8080/0/0";w
hile((S|&getline l)>0){split(l,f,"
");if(f[1]=="GET"){p=substr(f[2],2)}if(p==""){p="index.html"}stat(p,s)
;if(cf(p)&&s["type"]=="file"){m=mt(p);o=readfile(p);send(200,"OK",o,m,
s["size"]);break;}n="<html>Not Found</html>";send(404,"Not
Found",n,"text/html"RS,length(n));break;}}}'
```

# References

- *The AWK Programming Language* 1st Edition: Alfred V. Aho, Brian W. Kernighan, Peter J. Weinberger
- *Awk Tutorial* (2016): Jonathan Palardy - <https://blog.jpaldy.com/posts/awk-tutorial-part-1/>
- Awk (2019): Wikipedia - <https://en.wikipedia.org/wiki/AWK>
- Image Credits
  - Diagrams were created by me using diagrams.net
  - Some images created by the amazing Vanessa Porter
  - DALL-E and Stable Diffusion were also used to generate some images. Most were touched up/altered by me to better fit

# Challenges

Source: <https://github.com/FreedomBen/awk-hack-the-planet>

Scenario: The boss has given us a tsv file full of payroll data, and she would like us to run some analysis on it. We recently learned about `awk` and it's amazing processing power, and have decided this is an awesome chance to use our new skillz!

You should primarily use awk, but you can (and should) combine with other tools (like sort, uniq) when it makes sense. Don't use grep or sed tho since awk can handle the same scenarios(and you are trying to learn awk after all) :-)

# Challenges - 01

Q. How much money per hour does the janitor make?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 01

Q. How much money per hour does the janitor make?

```
1 /Janitor/ { print $3 }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 02.awk payroll.tsv  
678
```



# Challenges - 02

Q. What is the name of the CEO? Format like "LastName, FirstName"?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

## Challenges - 02

Q. What is the name of the CEO? Format like "LastName, FirstName"?

```
1 $6 ~ /^CEO$/ { printf("%s, %s\n", $2, $1) }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 01.awk payroll.tsv  
Torvalds, Linus
```

# Challenges - 03

Q. Which employees were hired on April 16, 1993? (Print the list)

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 03

Q. Which employees were hired on April 16, 1993? (Print the list)

```
1 $7 ~ /^1993.04.16$/ { print }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 03.awk payroll.tsv
Deeann Bixler 16.35 39 Lehi MechanicalEngineer 1993/04/16
Linus Torvalds 1599.01 40 Lehi CEO 1993/04/16
Benjamin Porter 678 40 Lehi Janitor 1993/04/16
Sergey Brin 1299 40 MountainView C00 1993/04/16
Homer Simpson 15.12 33 Springfield NuclearPower 1993/04/16
Larry Page 1299 40 MountainView VPEng 1993/04/16
[ben@localhost awk-hack-the-planet]$
```

# Challenges - 04

Q. Which employee works in the Springfield office?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 04

Q. Which employee works in the Springfield office?

```
1 $5 == "Springfield" { print $1, $2 }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 08.awk payroll.tsv  
Homer Simpson
```

# Challenges - 05

Q. How many mechanical engineers work here?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 05

Q. How many mechanical engineers work here?

```
1 # Use variable to count each occurrence of mechanical engineer
2
3 BEGIN { count = 0 }
4 $6 == "MechanicalEngineer" { count += 1 }
5 END { print count }
6
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 05.awk payroll.tsv
1130
```



# Challenges - 06

Q. How many people from the Portwood family work here?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 06

Q. How many people from the Portwood family work here?

```
1 BEGIN { count = 0 }
2 $2 == "Portwood" { count += 1 }
3 END { print count }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 10.awk payroll.tsv
92
```

# Challenges - 07

Q. Are there any employees with identical first & last names?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 07

Q. Are there any employees with identical first & last names?

```
3 BEGIN { count = 0 }
4 $1 == $2 { count += 1 }
5 END {
6     printf("There are %d people with identical first and last names\n", (count >
7     0) ? count : "no")
8 }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 11.awk payroll.tsv
There are 0 people with identical first and last names
```

# Challenges - 08

Q. Print each column header, along with which column it is. E.g. The LastName column is the second column, so print "2 - LastName"

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 08

Q. Print each column header, along with which column it is. E.g. The LastName column is the second column, so print "2 - LastName"

```
1 /^FirstName/ {
2     for (i=1; i<8; i++)
3         printf "%d - %s\n", i, $i
4 }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 13.awk payroll.tsv
1 - FirstName
2 - LastName
3 - HourlyWage
4 - HoursWorked
5 - Office
6 - Title
7 - StartDate
```

# Challenges - 09

Q. How much money per hour does the Seattle office cost?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 09

Q. How much money per hour does the Seattle office cost?

```
1 BEGIN      { sum = 0 }
2 $5 ~ /Seattle/ { sum += $3 }
3 END        { printf("The Seattle office costs %.2f per hour\n", sum) }
4
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 14.awk payroll.tsv
The Seattle office costs 20833.84 per hour
```



# Challenges - 10

Q. How many engineers (of any type) work here?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 10

Q. How many engineers (of any type) work here?

```
1 BEGIN { count = 0 }
2 $6 ~ /Engineer/ { count += 1 }
3 END { print count }
```

```
[ben@localhost awk-hack-the-planet]$ awk -f 15.awk payroll.tsv
2213
```

# Challenges - 11

Q. Who is the highest paid employee?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 11

Q. Who is the highest paid employee?

```
1 BEGIN {
2     highest = 0
3     name = ""
4 }
5
6 $0 !~ /HourlyWage/ {
7     if ($3 > highest) {
8         highest = $3
9         name = sprintf("%s %s", $1, $2)
10    }
11 }
12
13 END {
14     printf "Highest paid person is %s who makes $%.2f/hour\n", name, highest
15 }
```

# Challenges - 11

Q. Who is the highest paid employee?

```
[ben@localhost awk-hack-the-planet]$ awk -f 04.awk payroll.tsv  
Highest paid person is Linus Torvalds who makes $1599.01/hour  
[ben@localhost awk-hack-the-planet]$
```

# Challenges - 12

Q. Who worked the most hours this week?

1	FirstName	LastName	HourlyWage	HoursWorked	Office	Title	StartDate
2	Deeann	Felkins	27.13	34	Concord	DevOps	1977/04/09
3	Isabella	Pinnix	43.37	25	Manchester	HumanResources	1994/05/23
4	Rosalyn	Shain	7.8	34	Lehi	DevOps	1977/03/01
5	Lyndia	Ptacek	20.31	40	Seattle	SoftwareEngineer	2010/11/01
6	Benjamin	Bing	47.29	28	MountainView	MechanicalEngineer	2003/04/05
7	Angie	Drager	32.1	21	Manchester	DevOps	2010/10/17
8	Brain	Heine	15.26	44	Raleigh	MechanicalEngineer	1998/02/02
9	Noah	Drumheller	24.76	42	MountainView	HumanResources	1991/06/09
10	James	Gajewski	23.42	25	Seattle	MechanicalEngineer	1983/01/01
11	Olivia	Blauvelt	31.29	42	Seattle	DevOps	2016/07/19
12	Charlie	Grigg	52.32	46	Seattle	HumanResources	2006/06/12
13	Robbie	Whitesell	2.77	34	Manchester	DevOps	1975/04/18
14	Louanne	Kenney	17.12	21	MountainView	SoftwareEngineer	1999/08/28
15	Tresa	Perdomo	34.14	23	Manchester	DevOps	2001/05/20
16	Belkis	Ibrahim	5.76	21	Seattle	DevOps	1975/10/26
17	Amelia	Wehr	20.9	48	MountainView	SoftwareEngineer	1984/10/22

# Challenges - 12

Q. Who worked the most hours this week?

```
1 BEGIN {
2     highest = 0
3     name = ""
4 }
5
6 $0 !~ /HourlyWage/ {
7     if ($4 > highest) {
8         highest = $4
9         name = sprintf("%s %s", $1, $2)
10    }
11 }
12
13 END {
14     printf "%s worked the most hours at %d\n", name, highest
15 }
```

# Challenges - 12

Q. Who worked the most hours this week?

```
[ben@localhost awk-hack-the-planet]$ awk -f 06.awk payroll.tsv  
Jack Ransdell worked the most hours at 50
```



# Challenges - 13

Q. Anonymize the data by removing the first two columns. Print all remaining columns

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 13

Q. Anonymize the data by removing the first two columns. Print all remaining columns

```
1 #!/usr/bin/awk -f
2
3 {
4     for (i = 3; i <= NF; i++) {
5         #printf FS$i
6         printf "%s\t", $i
7     }
8     print NL
9 }
10
```

# Challenges - 13

Q. Anonymize the data by removing the first two columns. Print all remaining columns

```
[ben@localhost awk-hack-the-planet]$ awk -f 17.awk payroll.tsv | head
```

HourlyWage	HoursWorked	Office	Title	StartDate
27.13	34	Concord	DevOps	1977/04/09
43.37	25	Manchester	HumanResources	1994/05/23
7.8	34	Lehi	DevOps	1977/03/01
20.31	40	Seattle	SoftwareEngineer	2010/11/01
47.29	28	MountainView	MechanicalEngineer	2003/04/05
32.1	21	Manchester	DevOps	2010/10/17
15.26	44	Raleigh	MechanicalEngineer	1998/02/02
24.76	42	MountainView	HumanResources	1991/06/09
23.42	25	Seattle	MechanicalEngineer	1983/01/01

# Challenges - 14

Q. Our client is complaining about the anonymized data before. It is too hard to read. They would like you to add line numbers to the output.

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 14

Q. Our client is complaining about the anonymized data before. It is too hard to read. They would like you to add line numbers to the output.

```
1 #!/usr/bin/awk -f
2
3 {
4     printf "%s:\t", NR
5     for (i = 3; i <= NF; i++) {
6         #printf FS$i
7         printf "%s\t", $i
8     }
9     print NL # New line
10 }
```

# Challenges - 14

Q. Our client is complaining about the anonymized data before. It is too hard to read. They would like you to add line numbers to the output.

```
[ben@benst580 awk-hack-the-planet]$ ./14.awk payroll.tsv | head -15
```

1:	HourlyWage	HoursWorked	Office	Title	StartDate
2:	27.13	34	Concord	DevOps	1977/04/09
3:	43.37	25	Manchester	HumanResources	1994/05/23
4:	7.8	34	Lehi	DevOps	1977/03/01
5:	20.31	40	Seattle	SoftwareEngineer	2010/11/01
6:	47.29	28	MountainView	MechanicalEngineer	2003/04/05
7:	32.1	21	Manchester	DevOps	2010/10/17
8:	15.26	44	Raleigh	MechanicalEngineer	1998/02/02
9:	24.76	42	MountainView	HumanResources	1991/06/09
10:	23.42	25	Seattle	MechanicalEngineer	1983/01/01
11:	31.29	42	Seattle	DevOps	2016/07/19

# Challenges - 15

Q. How many different office locations does the company have?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 15

Q. How many different office locations does the company have?

```
1 #!/usr/bin/env bash
2
3 awk '$1 !~ /FirstName/ { print $5 }' payroll.tsv \
4     | sort \
5     | uniq \
6     | awk 'END { print NR }'
7
```

```
[ben@localhost awk-hack-the-planet]$ ./09-awk.sh
8
```



# Challenges - 16

Q. What is the average wage?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

# Challenges - 16

```
1 function getName(first, last) {
2     return sprintf("%s %s", $1, $2)
3 }
4
5 BEGIN {
6     sum = 0
7     count = 0
8 }
9
10 $0 !~ /HourlyWage/ {
11     sum += $3
12     count += 1
13 }
14
15 END {
16     printf("The average wage is %.2f per hour\n", sum / count)
17 }
```

# Challenges - 16

Q. What is the average wage?

```
[ben@localhost awk-hack-the-planet]$ awk -f 12.awk payroll.tsv  
The average wage is 31.39 per hour
```

# Challenges - 17

Q. Are there any duplicate entries? (Same names appear more than once)

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

```
1 function getName(first, last) {
2     return first last
3 }
4
5 BEGIN {
6     count = 0
7     marker = 9999
8 }
9
10 $1 !~ /FirstName/ {
11     if (names[getName($1, $2)] == marker) {
12         count += 1
13     }
14     names[getName($1, $2)] = marker
15 }
16
17 END {
18     printf("There are %d people out of %d with identical first and last names\n",
19         count, NR)
20 }
```

# Challenges - 17

Q. Are there any duplicate entries? (Same names appear more than once)

```
[ben@localhost awk-hack-the-planet]$ awk -f 16.awk payroll.tsv  
There are 392 people out of 4514 with identical first and last names
```

# Challenges - 18

Q. Who was the first employee hired?

```
1 FirstName LastName HourlyWage HoursWorked Office Title StartDate
2 Deeann Felkins 27.13 34 Concord DevOps 1977/04/09
3 Isabella Pinnix 43.37 25 Manchester HumanResources 1994/05/23
4 Rosalyn Shain 7.8 34 Lehi DevOps 1977/03/01
5 Lyndia Ptacek 20.31 40 Seattle SoftwareEngineer 2010/11/01
6 Benjamin Bing 47.29 28 MountainView MechanicalEngineer 2003/04/05
7 Angie Drager 32.1 21 Manchester DevOps 2010/10/17
8 Brain Heine 15.26 44 Raleigh MechanicalEngineer 1998/02/02
9 Noah Drumheller 24.76 42 MountainView HumanResources 1991/06/09
10 James Gajewski 23.42 25 Seattle MechanicalEngineer 1983/01/01
11 Olivia Blauvelt 31.29 42 Seattle DevOps 2016/07/19
12 Charlie Grigg 52.32 46 Seattle HumanResources 2006/06/12
13 Robbie Whitesell 2.77 34 Manchester DevOps 1975/04/18
14 Louanne Kenney 17.12 21 MountainView SoftwareEngineer 1999/08/28
15 Tresa Perdomo 34.14 23 Manchester DevOps 2001/05/20
16 Belkis Ibrahim 5.76 21 Seattle DevOps 1975/10/26
17 Amelia Wehr 20.9 48 MountainView SoftwareEngineer 1984/10/22
```

```
1 function getName(first, last) {
2     return sprintf("%s %s", $1, $2)
3 }
4
5 BEGIN {
6     lowestYear = 9999
7     lowestMonth = 99
8     lowestDay = 99
9     name = ""
10 }
11
12 $0 !~ /HourlyWage/ {
13     split($7, date, "/")
14     if (date[1] < lowestYear) {
15         lowestYear = date[1]
16         lowestMonth = date[2]
17         lowestDay = date[3]
18         name = getName($1, $2)
19     }
20     if (date[1] == lowestYear && date[2] < lowestMonth) {
21         lowestMonth = date[2]
22         lowestDay = date[3]
23         name = getName($1, $2)
24     }
25     if (date[1] == lowestYear && date[2] == lowestMonth && date[3] < lowestDay) {
26         lowestDay = date[3]
27         name = getName($1, $2)
28     }
29 }
30
31 END {
32     printf "%s was the first employee hired on %d/%d/%d\n", name, lowestYear,
lowestMonth, lowestDay
33 }
```



# Challenges - 18

Q. Who was the first employee hired?

```
[ben@localhost awk-hack-the-planet]$ awk -f 07.awk payroll.tsv  
Elvera Felkins was the first employee hired on 1975/1/6  
[ben@localhost awk-hack-the-planet]$
```